

FILED

AUG 02 2022

DOCKET # 18638

DOCUMENT # 191044

COMMISSIONERS:

TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

EXECUTIVE SECRETARY
G.P.S.C.



REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION STATE OF GEORGIA

DOCKET NO. 18638

**IN RE: ATLANTA GAS LIGHT COMPANY'S 2005-2010 EARNINGS
REVIEW**

**ORDER APPROVING ATLANTA GAS LIGHT COMPANY'S
RECALCULATED DEDICATED DESIGN DAY CAPACITY FACTORS
FOR 2022**

This matter comes before the Georgia Public Service Commission ("Commission") as a result of the Commission's June 30, 1998 Order in Docket No. 8390, which required Atlanta Gas Light Company ("AGL" or "Company") to recalculate the Dedicated Design Day Capacity ("DDDC") factors for customers each year. During the August 2, 2022 Administrative Session, the Commission approved the recalculated DDDC Factors for Year 2022 as set forth below.

Background

In April 2022, AGL began the recalculation of the DDDC factors for Year 2022. Section 13.3.1 A thru M of AGL's Tariff provides the approved DDDC calculation methodology. The purpose of recalculating the DDDC Factors is to ensure that customers have the most recent billing determinant for calculating the AGL base charges.

There were a total of 1,665,250 active customers as of April 1, 2022. DDDC factors were also recalculated for all premises in the event an inactive customer reestablishes gas service. AGL also continued to utilize the same exception criteria in order to determine which recalculated DDDC factors require manual verification. For residential premises, a manual verification was performed in the following instances:

- All customers whose recalculated DDDC factor < 5 MCFs and had an increase > 1
- All customers whose recalculated DDDC factor < 5 MCFs and had a decrease > 2
- All customer whose recalculated DDDC factor \geq 5 MCFs

For commercial premises, a manual verification was performed in the following instances:

- All identified commercial poultry premises
- All customers whose recalculated DDDC factor < 7 MCFs and had an increase > 1
- All customers whose recalculated DDDC factor < 7 MCFs and had a decrease > 2
- All customers whose recalculated DDDC factor > 7 MCFs but < 200 and had an increase > 25%
- All customers whose recalculated DDDC factor > 7 MCFs but < 200 and had a decrease > 50%
- All customer whose recalculated DDDC factor > 200 MCFs
- All Master Meter customers
- All Agricultural customers
- All Seasonal customers

Manual verification was performed for 20,862 residential customers and 18,202 commercial customers.

A true-up factor is used to ensure that the recalculation process remains revenue neutral for AGL. Only active customers as of April 1, 2022 are used in the true-up process. For the 2022 recalculation, on a pool group basis, the aggregate pre-recalculation DDDC is compared to the aggregate recalculated DDDC factors in order to determine the true-up factor for each pool group.

AGL submitted the final trued-up recalculated DDDC information to Staff on July 18, 2022.

Commission Decision

The Commission Staff verified that AGL is in compliance with the Commission approved tariff provisions 13.3.1 A thru M. This included reviewing components of the Georgia Customer Management Application System, exception criteria and the true-up process approved by the Commission on May 15, 2007. In the course of the analysis, Staff also:

- Examined the customers' usage information in the Georgia Customer Management Application;
- Acquired information as to factors that may have contributed to changes in some customers' DDDC factors;
- Manually verified the results of the DDDC calculations using a sampling of actual customer data; and

- Reviewed the process for determination of exceptions, and a sampling of actual customer exceptions.

Staff found everything to be in order. Accordingly, Staff recommended that the Commission approve the recalculation of the DDDC factors with an effective date of September 1, 2022. Staff also recommended that AGL make a compliance filing of the DDDC weighted averages within thirty (30) days of the Order. The Commission adopted both of Staff's recommendations.

* * * * *

Ordering Paragraphs

WHEREFORE IT IS ORDERED, that the Commission hereby approves Atlanta Gas Light Company's recalculated Dedicated Design Day Capacity factors for the Year 2022, with an effective date of September 1, 2022.

ORDERED FURTHER, that Atlanta Gas Light Company shall make a compliance filing of the Dedicated Design Day Capacity weighted averages within thirty (30) days of the Order.


ORDERED FURTHER, that a motion for reconsideration, rehearing, or oral argument shall not stay the effectiveness of this order unless expressly ordered by the Commission.

ORDERED FURTHER, that jurisdiction over this matter is expressly retained for the purpose of entering such further Order or Orders as this Commission may deem just and proper.


The above by action of the Commission in Administrative Session on the 2nd day of August 2022.



Sallie Tanner
Executive Secretary



Tricia Pridemore
Chairman



Date



Date