OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Responses required within **30 days of electronic mail**. Provide the following information for this report:

Response to Inspection Number: JB22-018

Type of Enforcement Action(s) cited in report:		Informal Conference Requested
☒ Notice of Probable Violation (NOPV)	☐ New ☒ Continuing	☐ Yes ☒ No
☒ Notice of Amendment (NOA)	☐ New ☒ Continuing	☐ Yes ☒ No
☒ Warning Letter	☐ New ☒ Continuing	☐ Yes ☒ No
☐ Letter of Concern	☐ New ☐ Continuing	☐ Yes ☐ No
☐ Observed Issue	☐ New ☐ Continuing	☐ Yes ☐ No
☐ Proposed Civil Penalty	$	
	PCP $ Amount (Total for report)	

Indicate below (A-E) based on the type of Enforcement Actions in this report: (Check all that apply)
Complete a separate copy of Page 2, Operator Response to Enforcement Action, for each cited item.

A. Response for **Notice of Probable Violation** (with and without proposed civil penalty):
   1. ☒ Written statement indicating that corrective measures have achieved Compliance or
   2. ☒ Written plan of action outlining the corrective measures that will be taken to achieve compliance and when compliance is anticipated.

B. Response for **NOA**:
   1. ☐ Contested: Attach written explanation, information, or other material in answer to the allegations in the Notice of Amendment stating your reasons for objecting to the NOA, in whole or in part; or
   2. ☒ Not Contested: Explanation, information, or other material believed to warrant modification of the NOA in whole or in part; or
   3. ☐ Written request for clarification. (Attached)

C. Response for **Continuing** and/or **Existing** violations:
Current status, updates, expected completion dates, proposed modifications, etc., of the continuing and/or existing violations, even if this information was previously provided. Referencing a previously filed response letter, as status, updates, etc. alone is not sufficient for this response. Failure to provide this information may result in formal interrogatories from the Director through data requests.

D. Response for ☐ **Letter of Concern** / ☒ **Warning Letter**
I acknowledge receipt of the Letter of Concern/Warning Letter Joan Henry Public Works Coordinator
SIGNATURE / TITLE

Additional Comments: (Optional)

E. Response for **Observed Issue** and **No Violation**: (Optional Response)
Staff requests that the Operator acknowledge receipt of the Observed Issue/No Violation in writing, or by submitting an email to the FPU Director

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.617 ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☒ Notice of Probable Violation (NOPV)	☐ Yes ☒ No	$ Proposed Penalty for this violation
☐ Notice of Amendment (NOA)	☐ Yes ☐ No	
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: Grantville is confident that a failure investigation of the reference event was performed and was documented in the form of a work order; however, the work order documenting this investigation could not be located. Grantville will ensure that the documentation of future events such as this is preserved.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: July 14, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.605(a)/ §192.181(a) ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☐ Notice of Probable Violation (NOPV)	☐ Yes ☐ No	$
☒ Notice of Amendment (NOA)	☐ Yes ☒ No	Proposed Penalty for this violation
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: Grantville is aware that GPSC Staff is preparing a Notice of Proposed Rulemaking that will include requirements related to valve placement. Upon final approval of this Proposed Rule, the new requirements will be incorporated into Grantville's manuals, plans, and procedures, as appropriate.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: July 14, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.605(a)/ §192.615(a)(8) ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☐ Notice of Probable Violation (NOPV)	☐ Yes ☐ No	$
☒ Notice of Amendment (NOA)	☐ Yes ☒ No	Proposed Penalty for this violation
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: Grantville has established a secondary communication method by means of the Grantville Police Department radio system.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: October 28, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.615(b)(3) ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☒ Notice of Probable Violation (NOPV)	☐ Yes ☒ No	$
☐ Notice of Amendment (NOA)	☐ Yes ☐ No	Proposed Penalty for this violation
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: Grantville is confident the referenced repair was documented; however, the work order documenting this repair could not be located. Grantville will ensure that documentation of future repairs such as this is properly preserved and the employees' actions are reviewed.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: July 14, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.605(b)(3) ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☐ Notice of Probable Violation (NOPV)	☐ Yes ☐ No	$
☐ Notice of Amendment (NOA)	☐ Yes ☐ No	Proposed Penalty for this violation
☒ Warning Letter	☐ Yes ☒ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: By March 31, 2023, Grantville will prepare a system map(s) in sufficient detail to determine which valves could be used to isolate designated portions of its system. Grantville will also ensure that the map is readily available to its on-call and emergency response personnel.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: November 3, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.615(a)(6) ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☒ Notice of Probable Violation (NOPV)	☐ Yes ☒ No	$ Proposed Penalty for this violation
☐ Notice of Amendment (NOA)	☐ Yes ☐ No	
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: By March 31, 2023, the City of Grantville ("Grantville") will prepare a system map(s) in sufficient detail to determine which valves could be used to isolate designated portions of its system. Grantville will also ensure that all critical valves are identified and listed.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: November 3, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.615(a)(4) ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☒ Notice of Probable Violation (NOPV)	☐ Yes ☒ No	$ Proposed Penalty for this violation
☐ Notice of Amendment (NOA)	☐ Yes ☐ No	
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: Grantville has reviewed and revised its process for designating an on-call person and for advising Coweta County 911 of the appropriate persons to contact in case of a natural gas emergency. Grantville also now ensures that its on-call person has ready access to the combustible gas indicator.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: July 14, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No X

Docket Number: 37055

Enforcement Action for: §192.807(b) ☐ New Violation ☒ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☒ Notice of Probable Violation (NOPV)	☐ Yes ☒ No	$ Proposed Penalty for this violation
☐ Notice of Amendment (NOA)	☐ Yes ☐ No	
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: Grantville has reviewed and accepted all applicable Operator Qualification for the City of LaGrange and has documented this review. Records are available for Staff's review.

Response Provided by: Joan Henry / Coordinator of Public Works & Utilities (Name / Title) Date: July 14, 2022

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed: ☐ Yes ☐ No Clear Violation: ☐ Yes ☐ No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments: _____