COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

FILED
MAR 19 2024
EXECUTIVE SECRETARY
G.P.S.C.



REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

DOCKET# 37055
DOCUMENT# 218045

Docket No. 37055

City of Grantville Gas System
123 LaGrange Street P. O. Box 160
Grantville, GA 30220

REF: Operator Qualification Inspection # JS23-025

☐ Certified Mail ☐ Regular Mail ☒ Email

Attention: Mr. Al Grieshaber

On August 28, 2023, a representative of the Georgia Public Service Commission Pipeline/Facilities Safety Office conducted an inspection of your gas system. The enclosed inspection report numbered JS23-025 is provided for your information and file.

In conjunction with this inspection report, Staff has recommended the following enforcement(s):

Enforcement Action:

- ☐ Notice of Probable Violation
- ☐ Notice of Probable Violation with Proposed Civil Penalty
- ☐ Notice of Amendment

Enforcement Letter:

- ☐ Warning Letter
- ☐ Letter of Concern

Enforcement Notification:

- ☐ Observed Issue
- ☒ No Violation

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Actions, Enforcement Letters, and Notifications Issued by the Georgia Public Service Commission. Please refer to Docket No. 37055 in your response.

Please let me know if there are any questions concerning this report at (404) 985-4271 or mthebert@psc.ga.gov. Thank you for your continuing contribution toward increased pipeline safety.

Sincerely,

Michelle Thebert

Michelle L. Thebert
Director, Office of Pipeline Safety/Facilities Protection

COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

REPORT OF NATURAL GAS SAFETY

INSPECTION NO: JS23-025

OPERATOR: City of Grantville Gas System

INVESTIGATOR: Jason Smith

INSPECTION DATE: August 28, 2023 REPORT MAILED DATE: March 19, 2024

Any questions concerning this report may be directed to the above address or by telephoning (404) 463-6526.

1. PURPOSE OF INSPECTION

To conduct an inspection of the Operator's operator qualification (OQ) program for compliance with the minimum federal standards in 49CFR §192, SubPart N.

2. CONTINUING VIOLATIONS

Violation	Description	Inspection#	Date
192.605(a)	Each operator shall prepare and follow for each pipeline, a manual of written procedures for...	AT22-006	2/3/2022
192.615(a)(4)	The availability of personnel, equipment, tools, and materials, as needed at the scene of an...	AT22-006	2/3/2022

3. CLEARED VIOLATIONS

Cleared on 8/28/2023

Violation	Description	Inspection#	Date
Consent Agreement Pending	Operator is negotiating Consent Agreement with the FPU Director	JL18-002	1/30/2018
192.615(b)(3)	Review employee activities to determine whether the procedures were effectively followed in each...	AT22-006	2/3/2022
192.605(b)(3)	Maintenance and normal operations. The manual required by paragraph (a) of this section must...	AT22-006	2/3/2022
192.615(a)(6)	Emergency shutdown and pressure reduction in any section of the operator's pipeline system neces...	AT22-006	2/3/2022
192.807(b)	Records supporting an individual's current qualification shall be maintained while the individual...	AT22-006	2/3/2022

4. NEW VIOLATIONS

5. OTHER RECOMMENDATIONS/COMMENTS

On August 28, 2023, Staff reported to the City of Grantville to conduct an inspection of the Operator's operator qualification (OQ) program for compliance with the minimum federal standards in 49CFR §192, Subpart N.

During this inspection the Operator was represented by:
Alex Boyd – Gas Supervisor
Joan Henry – Utility Coordinator
Gene Taylor – MGAG/SRCS (Consultant)

Commission Staff was represented by:
Jason Smith – Lead Inspector
Brant Sweat – Pipeline Safety Inspector
Daniel Clemmons – Pipeline Safety Inspector

At the time of the inspection the City of Grantville Gas System was under 7 (seven) previously existing probable violations. These violations will be addressed under Follow-Up Inspection Number JS23-024.

NO VIOLATIONS FOUND

During this Operator Qualification inspection, Staff utilized PHMSA Operator Qualification Plan Review form #14 to review the City of Grantville Gas Department's OQ plan and records, which includes their process on ensuring contractors compliance.

Staff also conducted OQ Protocol 9 field verification inspection and PHMSA Form 14 to ensure that covered task(s) were being performed in accordance with appropriate operator-approved procedures, that the procedures were present at the job site, and that the individuals performing the observed covered task(s) were adhering to the operator-approved procedures as written.

During the field evaluation Staff observed the operators personnel Alex Boyd perform:
- Task #1231 – Inside Leak Investigation, Qualified thru 09/13/25
- Task #1241 – Outside Leak Investigation, Qualified thru 09/13/25
- Task #1291 – Locate Underground Pipelines, Qualified thru 01/24/24

Staff observed that the Operators personnel followed the task procedure and applicable manufactures written procedure.

As a result of this inspection Staff noted no probable violations of the minimum federal safety standards.

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Letters Issued by the Georgia Public Service Commission.

OPERATOR RESPONSE FORM

Operator Name: City of Grantville

Informal Conference Requested: Yes ☐ No ☐

Docket Number: 37055

Responses required within **30 days of electronic mail.** Provide the following information for this report:

Response to Inspection Number:_____

Type of Enforcement Action(s) cited in report:			Informal Conference Requested	
☐ Notice of Probable Violation (NOPV)	☐ New	☐Continuing	☐ Yes	☐ No
☐ Notice of Amendment (NOA)	☐ New	☐Continuing	☐ Yes	☐ No
☐ Warning Letter	☐ New	☐Continuing	☐ Yes	☐ No
☐ Letter of Concern	☐ New	☐Continuing	☐ Yes	☐ No
☐ Observed Issue	☐ New	☐Continuing	☐ Yes	☐ No
☐ Proposed Civil Penalty	$ _____ PCP $ Amount (Total for report)			

Indicate below (A-E) based on the type of Enforcement Actions in this report: (Check all that apply)
Complete a separate copy of Page 2, Operator Response to Enforcement Action, for each cited item.

A. Response for **Notice of Probable Violation** (with and without proposed civil penalty):
   1. ☐ Written statement indicating that corrective measures have achieved Compliance or
   2. ☐ Written plan of action outlining the corrective measures that will be taken to achieve compliance and when compliance is anticipated.

B. Response for **NOA:**
   1. ☐ Contested: Attach written explanation, information, or other material in answer to the allegations in the Notice of Amendment stating your reasons for objecting to the NOA, in whole or in part; or
   2. ☐ Not Contested: Explanation, information, or other material believed to warrant modification of the NOA in whole or in part; or
   3. ☐ Written request for clarification. (Attached)

C. Response for **Continuing** and/or **Existing** violations:
   Current status, updates, expected completion dates, proposed modifications, etc., of the continuing and/or existing violations, even if this information was previously provided. Referencing a previously filed response letter, as status, updates, etc. alone is not sufficient for this response. Failure to provide this information may result in formal interrogatories from the Director through data requests.

D. Response for ☐ **Letter of Concern** / ☐ **Warning Letter**
   I acknowledge receipt of the Letter of Concern/Warning Letter:_____
   SIGNATURE / TITLE

   Additional Comments: (Optional)_____

E. Response for **Observed Issue** and **No Violation**: (Optional Response)
   Staff requests that the Operator acknowledge receipt of the Observed Issue/No Violation in writing, or by submitting an email to the FPU Director

Operator Response to Enforcement Action

Enforcement Action for:_____ ☐ New Violation ☐ Continuing Violation
Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:
☐ Notice of Probable Violation (NOPV)	☐ Yes ☐ No
☐ Notice of Amendment (NOA)	☐ Yes ☐ No
☐ Warning Letter	☐ Yes ☐ No
☐ Letter of Concern	☐ Yes ☐ No
☐ Observed Issue	☐ Yes ☐ No
☐ Proposed Civil Penalty	☐ Yes ☐ No

$_____
Proposed Penalty for this violation

OPERATORS RESPONSE: _____

Response Provided by: _____ Date:_____
Name / Title

Internal use only:

Lead Inspector: _____ Date Response Reviewed:_____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed:☐ Yes ☐ No Clear Violation:☐ Yes ☐ No

Supervisor Review by:_____ Date Reviewed:_____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments:_____

Filings:
For all written responses or any other official correspondence, the Operator shall file the response at the following address:

Ms. Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

The Operator must file **five (5)** copies of any response and/or official correspondence, as well as a CD with an electronic version of the response in Microsoft Word and/or a PDF, if applicable.

Informal Conference:
Any Operator who chooses to request an informal conference shall request such a conference through emailing the Director (michellet@psc.state.ga.us), calling the Director (404-463-2765), or selecting the "Request Conference" choice.

Civil Penalty Payments:
Certified check for the full amount of the recommended civil penalty or consent agreement amount made payable to the Georgia Public Service Commission. The Operator's name, applicable Docket No., and Inspection Report No. must be included on the certified check. Mail payment to:

Ms. Michelle Thebert, Director, Facilities Protection Unit
Georgia Public Service Commission
244 Washington Street
Atlanta, Georgia 30334

Hearing Requests:
The Operator has the right to request a hearing before the full Commission to contest the alleged probable violations, recommended civil penalties, and all other proposed actions of enforcement. A request for a hearing must be submitted in writing and in accordance with Commission Rule 515-2-1-.04. The Operator must include a statement of the issues that you intend to raise at the hearing. The issues may relate to the allegations, new information, proposed compliance order, proposed civil penalty, or any other recommendation for enforcement action. Please refer to Commission Rule 515-9-3-.11 and O.C.G.A. § 46-2-91 for assessment considerations upon which civil penalties are based. An operator's failure to specify an issue may result in a waiver of the right to raise that issue at hearing. The request must also indicate whether or not the Operator will be represented by counsel at the hearing.

Open Records and Trade Secret Filings:
The Operator is advised that any material provided to the Commission, and all materials prepared by the Commission, including the Notice of Probable Violations and any Orders issued in this case, may be considered public information and subject to disclosure under the Georgia Open Records Act (O.C.G.A. § 50-18-70 et seq.). If you believe that any portion of your response material is security sensitive, privileged, confidential or may cause your company competitive disadvantages and would qualify for protection under the Commission's "Trade Secret Rule" (Commission Rule 515-3-1-.11), you must, along with the complete original document clearly marked "TRADE SECRET" on each page, provide a second copy of the document with the portions you believe qualify for trade secret treatment redacted, and an explanation of why you believe the redacted information qualifies for such trade secret treatment. Should the Commission receive a request for disclosure of any "TRADE SECRET" material, you will be notified, if after review, the materials and your provided justification are deemed not to meet any exemptions provided in the Georgia Open Records Act. You may appeal the Commission's decision to release material at that time. Your appeal will stay the release of those materials until a final decision is made.

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

IN THE MATTER OF:	)	
	)	
No Violation Report	)	**DOCKET NO. 37055**
City of Grantville Gas System	)	
Inspection JS23-025 on August 28, 2023	)	
	)	

CERTIFICATE OF SERVICE

I, the undersigned, do hereby certify that I have caused to be served a copy of the foregoing, and a copy of same was served upon all parties and persons listed below via electronic mail as indicated by an asterisk I further certify that the *City of Grantville Gas System* was served a hard copy of the above-stated document by U.S. Mail, certified/return receipt requested.

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

*Al Grieshaber, City Manager
City of Grantville Gas System
123 LaGrange Street
P.O. Box 160
Grantville, GA 30220
agrieshaber@grantvillega.org

*Michelle Thebert, Facilities Protection Unit Director
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

Respectfully Submitted this 14th day of March 2024:

Cathy Nesbitt, Administrative Assistant
Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, SW
Atlanta, GA 30334