COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

FILED
JUN 03 2024
EXECUTIVE SECRETARY
G.P.S.C.

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

Docket No. 37063

DOCKET# 37063
DOCUMENT# 218912

City of Lawrenceville Gas Dept.
P. O. Box 2200
Lawrenceville, GA 30046

REF: Operator Qualification Inspection # JJ23-036

☐ Certified Mail ☐ Regular Mail ☒ Email

Attention: Mr. Chuck Warbington

On September 18, 2023, a representative of the Georgia Public Service Commission Pipeline/Facilities Safety Office conducted an inspection of your gas system. The enclosed inspection report numbered JJ23-036 is provided for your information and file.

In conjunction with this inspection report, Staff has recommended the following enforcement(s):

Enforcement Action:

- ☐ Notice of Probable Violation
- ☐ Notice of Probable Violation with Proposed Civil Penalty
- ☐ Notice of Amendment

Enforcement Letter:

- ☐ Warning Letter
- ☐ Letter of Concern

Enforcement Notification:

- ☐ Observed Issue
- ☒ No Violation

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Actions, Enforcement Letters, and Notifications Issued by the Georgia Public Service Commission. Please refer to Docket No. 37063 in your response.

Please let me know if there are any questions concerning this report at (404) 985-4271 or mthebert@psc.ga.gov. Thank you for your continuing contribution toward increased pipeline safety.

Sincerely,

Michelle Thebert

Michelle L. Thebert
Director, Office of Pipeline Safety/Facilities Protection

COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

REPORT OF NATURAL GAS SAFETY

INSPECTION NO: JJ23-036

OPERATOR: City of Lawrenceville Gas Dept.

INVESTIGATOR: Joe Jones

INSPECTION DATE: September 18, 2023 REPORT MAILED DATE: May 30, 2024

Any questions concerning this report may be directed to the above address or by telephoning (404) 463-6526.

1. PURPOSE OF INSPECTION

To conduct an inspection of the Operator's operator qualification (OQ) program for compliance with the minimum federal standards in 49CFR §192, SubPart N.

2. CONTINUING VIOLATIONS

3. CLEARED VIOLATIONS

4. NEW VIOLATIONS

5. OTHER RECOMMENDATIONS/COMMENTS

On September 18 and 19, 2023 Staff reported to City of Lawrenceville to conduct an inspection of the Operator's operator qualification (OQ) program for compliance with the minimum federal standards in 49CFR §192, SubPart N.

During this inspection the Operator was represented by:
Todd Hardigree – Gas Director
Jim Wright – Utility Director
Kyle Hamby – Assistant Director
Tim Franklin – Municipal Gas Authority of GA (Consultant)
Lori Lamberth - Municipal Gas Authority of GA (Consultant)

Commission Staff was represented by:
Joseph Jones – Lead Inspector
Daniel Clemmons – Pipeline Safety Inspector
Daphne Jones – Pipeline Safety Inspector

At the time of this inspection the City of Lawrenceville was under no previously existing probable violation(s).

NO VIOLATIONS FOUND

During this inspection Staff conducted a review of the Operator's Qualifications to ensure that the Operator had and followed a written qualification program, that covered tasks were being performed in accordance with appropriate operator-approved procedures, that the procedures were present at the job site, and that the individuals performing the observed covered task(s) were qualified and adhering to the operator-approved procedures as written.

During the field evaluations, Staff observed Brian Heath, Gas Distribution Tech, perform Task #0301: Manually Opening and Closing Valves, qualified on 8/23/2023and Expires 8/23/2026. Staff observed Zach Wilson, Field Tech, performed: Task #0781: Joining of Plastic Pipe - electrofusion, qualified on 8/23/2023and Expires 8/23/2024. Staff also observed Scott Ramskogler perform Task #1141: Squeeze Off Plastic Pipe, which was qualified on 1/31/2023 and expires 1/31/2026. Staff observed Operator's personnel follow the task procedure and applicable manufacturer-written procedure and identify the AOC's.

As a result of this inspection Staff noted no probable violations of the minimum federal safety standards.

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Letters Issued by the Georgia Public Service Commission.

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

IN THE MATTER OF:	)	
	)	
No Violation Report	)	**DOCKET NO. 37063**
City of Lawrenceville Gas Department	)	
Inspection JJ23-036 on September 18, 2023	)	
	)	

CERTIFICATE OF SERVICE

I, the undersigned, do hereby certify that I have caused to be served a copy of the foregoing, and a copy of same was served upon all parties and persons listed below via electronic mail as indicated by an asterisk. I further certify that the *City of Lawrenceville Gas Department* was served a hard copy of the above-stated document by U.S. Mail, certified/return receipt requested.

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

*Chuck Warbington, City Manager
City Manager and Treasurer
City of Lawrenceville Gas Department
P.O. Box 2200
Lawrenceville, GA 30046
chuck.warbington@lawrencevillega.org

*Michelle Thebert, Facilities Protection Unit Director
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

Respectfully Submitted this _____ day of June 2024:

Cathy Nesbitt

Cathy Nesbitt, Administrative Assistant
Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, SW
Atlanta, GA 30334