COMMISSIONERS:

JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

FILED
JUL 25 20[illegible]
EXECUTIVE SECRETAR
G.P.S.C.

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

Corrected
July 25, 2024

DOCKET#30724
DOCUMENT#219471

Atlanta Gas Light
10 Peachtree St.
Atlanta GA 30309

DOCKET NO: 30724
Case NO: PSC 24-26340

Attention: Mr. Pedro Cherry

On March 11,2024, a Notice of Probable Violation ("NOPV") of the Georgia Underground Facilities Protection Act ("GUFPA" or "the Act") was filed with the Georgia Public Service Commission Pipeline/Facility Safety Office ("Staff") naming Atlanta Gas Light as the probable violator ("Respondent"). The probable violation alleged is for failure to comply with section 25-9-7-(a)(1) of the Act:

> Failure of a facility owner to determine whether underground facilities are present on the land upon which blasting or excavating is to occur prior to 7:00 a.m. on the effective date, or calendar day on which blasting or excavating is anticipated to begin.

Staff has granted an extension to allow an additional **60** days from the amended due date of the response (150 days from the date of the NOPV) for the Respondent to provide an affirmative written response to a Consent Agreement or request a hearing before the Advisory Committee. Failure to respond either by executing the provided Consent agreement or requesting a hearing will result in the issuance of a Rule NISI to be heard before the Georgia Public Service Commission ("Commission").

Thank you,

Michelle Thebert

Michelle Thebert
Director, Facilities Protection Unit
Georgia Public Service Commission

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

IN RE: **Atlanta Gas Light Company**	)	**DOCKET NO. 30724**

CERTIFICATE OF SERVICE

I hereby certify that the Response To Request For Extension in Docket No. 30724 was filed with the Commission's Executive Secretary and a copy of same was served upon all parties and persons listed below via electronic mail as indicated by an asterisk. I further certify that the *Atlanta Gas Light Company* was served a hard copy of the above-stated document by United States Mail.

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334
stanner@psc.ga.gov
via electronic mail

*Pedro Cherry, President and CEO
Southern Company Gas
Ten Peachtree Place, NE,
Atlanta, GA 30309
ppcherry@southernco.com
via electronic mail

*Michelle Thebert, Facilities Protection Unit Director
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334
mthebert@psc.ga.gov
via electronic mail

*Rick Slagle, Director of Regulatory Compliance
Southern Company Gas
Ten Peachtree Place, NE,
Atlanta, GA 30309
rslagle@southernco.com
via electronic mail

*Will Culbreath, GUFPA Case Manager
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334
wculbreath@psc.ga.gov
via electronic mail

*Robert S. Highsmith Jr.
Holland &Knight LLP
1180 W. Peachtree St.
Atlanta GA, 30309
robert.highsmith@hklaw.com
via electronic mail

*Ray-Kelle Preston, Staff Attorney
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334
rpreston@psc.ga.gov
via electronic mail

*Lindsey Williamson
Holland &Knight LLP
1180 W. Peachtree St.
Atlanta GA, 30309
lindsey.Williamson@hklaw.com
via electronic mail

Respectfully Submitted this 25th day of July 2024:

Cathy Nesbitt

Cathy Nesbitt, Administrative Assistant
Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, SW Atlanta, GA 30334