COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

FILED
FEB 11 2025
EXECUTIVE SECRETARY
GPSC

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

# Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

DOCKET# 37031
DOCUMENT# 221390

Docket No. 37031

City of Camilla Gas System
P. O. Box 328
Camilla, GA 31730

REF: 199 Inspection # DJ24-035

☐ Certified Mail ☐ Regular Mail ☒ Email

Attention: Mr. Dennis Stroud

On September 3, 2024, a representative of the Georgia Public Service Commission Pipeline/Facilities Safety Office conducted an inspection of your gas system. The enclosed inspection report numbered DJ24-035 is provided for your information and file.

In conjunction with this inspection report, Staff has recommended the following enforcement(s):

Enforcement Action:

- ☐ Notice of Probable Violation
- ☐ Notice of Probable Violation with Proposed Civil Penalty
- ☐ Notice of Amendment

Enforcement Letter:

- ☐ Warning Letter
- ☐ Letter of Concern

Enforcement Notification:

- ☐ Observed Issue
- ☒ No Violation

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Actions, Enforcement Letters, and Notifications Issued by the Georgia Public Service Commission. Please refer to Docket No. 37031 in your response.

Please let me know if there are any questions concerning this report at (404) 985-4271 or mthebert@psc.ga.gov. Thank you for your continuing contribution toward increased pipeline safety.

Sincerely,

Michelle Thebert

Michelle L. Thebert
Director, Office of Pipeline Safety/Facilities Protection

COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

# Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

## REPORT OF NATURAL GAS SAFETY

INSPECTION NO: DJ24-035

OPERATOR: City of Camilla Gas System

INVESTIGATOR: Daphne Jones

INSPECTION DATE: September 3, 2024 REPORT MAILED DATE: February 5, 2025

Any questions concerning this report may be directed to the above address or by telephoning (404) 463-6526.

1. PURPOSE OF INSPECTION

To conduct an inspection of the Operators anti-drug and alcohol programs required by 49CFR Parts 40 and 199.

2. CONTINUING VIOLATIONS

3. CLEARED VIOLATIONS

4. NEW VIOLATIONS

5. OTHER RECOMMENDATIONS/COMMENTS

On September 3-4, 2024, Commission Staff reported to the City of Camilla to conduct an inspection of the Operator's Drug and Alcohol misuse plan for compliance with the minimum federal safety standards and Protocol 9 inspections for compliance with the minimum federal standards in 49CFR §192, Subpart N. The exit meeting was performed on September 4, 2024.

During this inspection, the Operator was represented by:
Kent Holtzclaw – HR Director / DER
Sam Yarley – MGAG/SRCS (Consultant)

Commission Staff was represented by Daphne Jones, Lead Pipeline Safety Inspector

At the time of this inspection, the City of Camilla had no previously existing probable violations.

NO VIOLATIONS FOUND

During this inspection Staff reviewed City of Camilla gas system drug & alcohol plan and records for compliance with Part 199 & 40 of the Pipeline safety Regulations. Staff examined the operator's policies, provisions for education and training, drug and alcohol testing, and when needed, referral for evaluation and treatment.

During the field evaluation on September 4, 2024, Staff observed the Operator's personnel perform three protocol 9 inspections in Mitchell County. The Operator provided the individual qualifications for Jaamal Dewberry and Johnny March to perform covered tasks. Staff examined the individual records before observing the performance in the field. Staff verified that qualification records for these individuals were current.

Jaamal Dewberry, Crew Leader, performed Task #0001 Measure Structure to-Electrolyte) Pipe to Soil) Potential: qualification expiration date, 5/26/2026; and Task #0301 Manually Opening and Closing Valves: qualification expiration date, 2/11/2025. Staff verified that the individual was able to perform these covered tasks according to the procedures and was able to identify generic and task specific abnormal conditions and define the applicable actions.

Johnny March, Gas Technician, perform Task #0191 Measure Atmospheric Corrosion: qualification expiration date, 9/9/2024. Staff verified that the individual was able to perform these covered tasks according to the procedures and was able to identify generic and task specific abnormal conditions and define the applicable actions.

As a result of this inspection, Staff noted no probable violations of the minimum federal safety standards.

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Letters Issued by the Georgia Public Service Commission.

**BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION**
**STATE OF GEORGIA**

| | | |
|---|---|---|
| **IN THE MATTER OF:** | ) | |
| | ) | |
| **City of Camilla Gas System** | ) | **DOCKET NO. 37031** |
| | ) | |
| | ) | |
| | ) | |

## CERTIFICATE OF SERVICE

I, do hereby certify that I have this day served a copy of the within and foregoing document on the following persons via email or United States Mail as follows:

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

*Dennis Stroud, City Manager
City of Camilla Gas System
PO Box 328
Camilla, GA 31730
Dennis.Stroud@cityofcamilla.com

*Michelle Thebert, Facilities Protection Unit Director
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

Respectfully Submitted this 18th day of February 2025:

*Cathy Nesbitt*

Cathy Nesbitt, Administrative Assistant
Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, SW
Atlanta, GA 30334