

COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

FILED
APR 17 2025
EXECUTIVE SECRETARY
GPSC



REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

Docket No. 37024



AGL - Operations and Engineering
Ten Peachtree Place, NE Suite 1000
Location 1365
Atlanta, GA 30309

REF: Construction Inspection # JJ24-061

Certified Mail

Regular Mail

Email

Attention: Mr. Pedro Cherry

On December 3, 2024, a representative of the Georgia Public Service Commission Pipeline/Facilities Safety Office conducted an inspection of your gas system. The enclosed inspection report numbered JJ24-061 is provided for your information and file.

In conjunction with this inspection report, Staff has recommended the following enforcement(s):

Enforcement Action:

- Notice of Probable Violation
- Notice of Probable Violation with Proposed Civil Penalty
- Notice of Amendment

Enforcement Letter:

- Warning Letter
- Letter of Concern

Enforcement Notification:

- Observed Issue
- No Violation

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Actions, Enforcement Letters, and Notifications Issued by the Georgia Public Service Commission. Please refer to Docket No. 37024 in your response.

Please let me know if there are any questions concerning this report at (404) 985-4271 or mthebert@psc.ga.gov. Thank you for your continuing contribution toward increased pipeline safety.

Sincerely,

Michelle L. Thebert
Director, Office of Pipeline Safety/Facilities Protection

COMMISSIONERS

JASON SHAW , Chairman
TIM G. ECHOLS , Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE



REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

REPORT OF NATURAL GAS SAFETY

INSPECTION NO: JJ24-061

OPERATOR: AGL - Marietta

INVESTIGATOR: Joe Jones

INSPECTION DATE: December 3, 2024

REPORT MAILED DATE: April 16, 2025

Any questions concerning this report may be directed to the above address or by telephoning (404) 463-6526.

1. PURPOSE OF INSPECTION

To conduct an inspection of the Operators construction project for compliance with the minimum federal standards in 49CFR Part 192.

2. CONTINUING VIOLATIONS

Violation	Description	Inspection#	Date
192.616	Public education.	AT19-009	2/11/2019
192.613(a)	Continuing Surveillance - Each operator shall have a procedure for continuing surveillance of...	AT19-009	2/11/2019
192.467(d)	Inspection and electrical tests must be made to assure that electrical isolation is adequate.	AT19-009	2/11/2019
192.473(a)	Each operator whose pipeline system is subjected to stray currents shall have in effect a...	AT19-009	2/11/2019
192.479(a)	Each operator must clean and coat each pipeline or portion of pipeline that is exposed to the...	AT19-009	2/11/2019
192.605(a)	Each operator shall prepare and follow for each pipeline, a manual of written procedures for...	JH20-023	5/26/2020
192.605(a)	Each operator shall prepare and follow for each pipeline, a manual of written procedures for...	JJ20-027	5/27/2020
192.465(d)	Each operator shall take prompt remedial action to correct any deficiencies indicated by the...	JJ20-027	5/27/2020
192.605(b)(1)	Operating, maintaining, and repairing the pipeline in accordance with each of the requirements of...	JJ20-027	5/27/2020
192.605(a)	Each operator shall prepare and follow for each pipeline, a manual of written procedures for...	JH20-028	7/28/2020
192.605(a)	Each operator shall prepare and follow for each pipeline, a manual of written procedures for...	AT20-035	10/22/2020
192.605(b)(3)	Maintenance and normal operations. The manual required by paragraph (a) of this section must...	AT20-035	10/22/2020
192.605(a)	Each operator shall prepare and follow for each pipeline, a manual of written procedures for...	JJ23-001	1/3/2023

3. CLEARED VIOLATIONS

4. NEW VIOLATIONS

5. OTHER RECOMMENDATIONS/COMMENTS

On December 3, through 4, 2024, Staff reported to Atlanta Gas Light Company (Southern Company) Marietta and Cherokee service territory Ellijay Georgia, to conduct an unannounced field inspection of the Operator's construction site. The location of the construction site was Maddox Drive and South Main Street (Highway 5) the Coosawattee River Ellijay Georgia. Primoris Construction Crew, formally known as Pride Construction was installing a 6-inch plastic distribution pipeline across the Coosawattee river . Staff conducted an inspection of construction materials/ components, construction description maps, and construction methods. Staff also conducted an OQ protocol 9 inspection on contract personnel.

During this inspection, the Operator was represented by:
Thomas Morgan – Construction Coordinator
Matt Fich - Drill Forman (AGL Contractor)
Micheal Gosnell – Drill Operator (AGL Contractor)

Staff was represented by:
Joseph Jones – Lead Inspector
Jack Hewitt – Pipeline Safety Inspector
Eric Atkins – Pipeline Safety inspector

NO VIOLATIONS FOUND

During this inspection The Georgia Public Service Commission Staff made an unannounced Construction Inspection on AGL (Southern Company) located near Georgia Highway 76 and Maddox Drive on the Coosawattee River. Primoris Services Corporation (PSC) formally Pride Construction was installing a 6-inch plastic pipeline under the Coosawattee River in the City of Ellijay Georgia. The project was a renewal project replacing a 4-inch steel pipeline that was previously connected to the Maddox Drive Bridge HWY 76. Commission Staff met with Thomas Morgan Construction Coordinator for AGL. Mr. Morgan advised us that Primoris was in the process of boring a hole from Old Highway 5 under the Coosawattee River to River Trace just off Maddox Drive. The bore was approximately 500-Feet from one side to another. While at this location Staff also observed AGL Crews injecting natural gas into the pipeline using an LNG mobile injection system, to keep pressure up due to the cold weather and the installation of the pipeline replacement project. Staff conducted inspection of construction materials, components, construction maps, and construction methods. Staff did not find any violations of the Pipeline Safety Regulations during this inspection.

During this inspection Staff observed an AGLC contractor (Primoris Services Corporation) crew perform OQ Protocol 9 field Task. Staff verified that the covered task(s) were being performed in accordance with appropriate Operator-approved procedures, that the procedures were available at the job site, and that the individuals performing the observed covered task(s) were adhering to the operator-approved procedures as written. During the field evaluations, Staff observed Matt Fitch (Drill Foreman) performing the Task #004B – Damage Prevention Inspection (Excavation) qualification verified current until 08/015/2025, and Task #0Q025 B- Installation of Plastic Pipe Including Boring qualification verified as current until 05/15/2027. Staff also observed Micheal (Drill Operator) performing the Task #OQ021-A Installation of Plastic Pipeline qualification verified as current until 12/31/2025. Staff verified that the individuals were able to perform the covered tasks according to the procedure and was able to identify generic and task specific abnormal conditions and define the applicable actions.

As a result of this inspection Staff noted no probable violations of the minimum federal safety standards.

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Letters Issued by the Georgia Public Service Commission.

OPERATOR RESPONSE FORM

Operator Name: ATLANTA GAS LIGHT COMPANY

Informal Conference Requested: Yes No

Docket Number: 37024

Responses required within **30 days of electronic mail**. Provide the following information for this report:

Response to Inspection Number: _____

Type of Enforcement Action(s) cited in report:

- | | | |
|--|--|--|
| <input type="checkbox"/> Notice of Probable Violation (NOPV) | <input type="checkbox"/> New <input type="checkbox"/> Continuing | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Notice of Amendment (NOA) | <input type="checkbox"/> New <input type="checkbox"/> Continuing | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Warning Letter | <input type="checkbox"/> New <input type="checkbox"/> Continuing | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Letter of Concern | <input type="checkbox"/> New <input type="checkbox"/> Continuing | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Observed Issue | <input type="checkbox"/> New <input type="checkbox"/> Continuing | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Proposed Civil Penalty | \$ _____ | |

Informal Conference Requested

PCP \$ Amount (Total for report)

Indicate below (A-E) based on the type of Enforcement Actions in this report: (Check all that apply) Complete a separate copy of Page 2, Operator Response to Enforcement Action, for each cited item.

- A. Response for **Notice of Probable Violation** (with and without proposed civil penalty):
- Written statement indicating that corrective measures have achieved Compliance or
 - Written plan of action outlining the corrective measures that will be taken to achieve compliance and when compliance is anticipated.

- B. Response for **NOA**:
- Contested**: Attach written explanation, information, or other material in answer to the allegations in the Notice of Amendment stating your reasons for objecting to the NOA, in whole or in part; or
 - Not Contested**: Explanation, information, or other material believed to warrant modification of the NOA in whole or in part; or
 - Written request for clarification. (Attached)

- C. Response for **Continuing** and/or **Existing** violations:
Current status, updates, expected completion dates, proposed modifications, etc., of the continuing and/or existing violations, even if this information was previously provided. Referencing a previously filed response letter, as status, updates, etc. alone is not sufficient for this response. Failure to provide this information may result in formal interrogatories from the Director through data requests.

- D. Response for **Letter of Concern** / **Warning Letter**
I acknowledge receipt of the Letter of Concern/Warning Letter: _____
SIGNATURE / TITLE

Additional Comments: (Optional)

- E. Response for **Observed Issue** and **No Violation**: (Optional Response)
Staff requests that the Operator acknowledge receipt of the Observed Issue/No Violation in writing, or by submitting an email to the FPU Director

Operator Response to Enforcement Action

Enforcement Action for: _____ New Violation Continuing Violation
Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:

- Notice of Probable Violation (NOPV)
- Notice of Amendment (NOA)
- Warning Letter
- Letter of Concern
- Observed Issue
- Proposed Civil Penalty

Conference Requested:

- Yes No
- Yes No
- Yes No
- Yes No
- Yes No
- Yes No

\$ _____
Proposed Penalty for this violation

OPERATORS RESPONSE: _____

Response Provided by: _____ Date: _____
Name / Title

Internal use only:

Lead Inspector: _____ Date Response Reviewed: _____
Actions Acceptable: Yes No Re-inspection Needed: Yes No Clear Violation: Yes No

Supervisor Review by: _____ Date Reviewed: _____

Additional Enforcement Recommended: Yes No

Director Review

Approved: Yes No Schedule Special Follow-up Inspection: Yes No
Cleared Violation: Yes No

Comments: _____

OPERATOR RESPONSE FORM

Operator Name: ATLANTA GAS LIGHT COMPANY

Informal Conference Requested: Yes No

Docket Number: 37024

Filings:

For all written responses or any other official correspondence, the Operator shall file the response at the following address:

Ms. Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

The Operator must file **five (5)** copies of any response and/or official correspondence, as well as a CD with an electronic version of the response in Microsoft Word and/or a PDF, if applicable.

Informal Conference:

Any Operator who chooses to request an informal conference shall request such a conference through emailing the Director (michellet@psc.state.ga.us), calling the Director (404-463-2765), or selecting the "Request Conference" choice.

Civil Penalty Payments:

Certified check for the full amount of the recommended civil penalty or consent agreement amount made payable to the Georgia Public Service Commission. The Operator's name, applicable Docket No., and Inspection Report No. must be included on the certified check. Mail payment to:

Ms. Michelle Thebert, Director, Facilities Protection Unit
Georgia Public Service Commission
244 Washington Street
Atlanta, Georgia 30334

Hearing Requests:

The Operator has the right to request a hearing before the full Commission to contest the alleged probable violations, recommended civil penalties, and all other proposed actions of enforcement. A request for a hearing must be submitted in writing and in accordance with Commission Rule 515-2-1-.04. The Operator must include a statement of the issues that you intend to raise at the hearing. The issues may relate to the allegations, new information, proposed compliance order, proposed civil penalty, or any other recommendation for enforcement action. Please refer to Commission Rule 515-9-3-.11 and O.C.G.A. § 46-2-91 for assessment considerations upon which civil penalties are based. An operator's failure to specify an issue may result in a waiver of the right to raise that issue at hearing. The request must also indicate whether or not the Operator will be represented by counsel at the hearing.

Open Records and Trade Secret Filings:

The Operator is advised that any material provided to the Commission, and all materials prepared by the Commission, including the Notice of Probable Violations and any Orders issued in this case, may be considered public information and subject to disclosure under the Georgia Open Records Act (O.C.G.A. § 50-18-70 et seq.). If you believe that any portion of your response material is security sensitive, privileged, confidential or may cause your company competitive disadvantages and would qualify for protection under the Commission's "Trade Secret Rule" (Commission Rule 515-3-1-.11), you must, along with the complete original document clearly marked "TRADE SECRET" on each page, provide a second copy of the document with the portions you believe qualify for trade secret treatment redacted, and an explanation of why you believe the redacted information qualifies for such trade secret treatment. Should the Commission receive a request for disclosure of any "TRADE SECRET" material, you will be notified, if after review, the materials and your provided justification are deemed not to meet any exemptions provided in the Georgia Open Records Act. You may appeal the Commission's decision to release material at that time. Your appeal will stay the release of those materials until a final decision is made.

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

IN THE MATTER OF:

Atlanta Gas Light Company

)
)
)
)
)
)

DOCKET NO. 37024

CERTIFICATE OF SERVICE

I, hereby certify that I have this day served a copy of the within and foregoing document on the following persons via email and/or United States Mail as follows:

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

* Pedro Cherry, President and CEO
Southern Company Gas
Ten Peachtree Place, NE,
Atlanta, GA 30309
ppcherry@southernco.com

*Michelle Thebert, Facilities Protection Unit Director
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

Respectfully Submitted this 22nd day of April 2025:

Cathy Nesbitt

Cathy Nesbitt, Administrative Assistant
Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, SW
Atlanta, GA 30334