FILED
JUN 12 2025
EXECUTIVE SECRETARY
GPSC

COMMISSIONERS:
JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

MAILED
6.16.2025

DOCKET NO. 45014 Willie Mickle Plumbing Service; PSC Case No. 23-25062; 23-25063

FINAL ORDER

DOCKET#45014
DOCUMENT#222963

APPEARANCES:

Georgia Public Service Commission Staff: Chesley Dix

Willie Mickle Plumbing Service: No appearance

PROCEDURAL HISTORY

On February 26, 2025, the Georgia Public Service Commission ("Commission") conducted an evidentiary hearing in order to hear and receive evidence of an alleged violation of the Georgia Utilities Facility Protection Act ("GUFPA") by the Respondent, **Willie Mickle Plumbing Service**. No appearance was entered by the Respondent at that hearing. After the hearing, the Commission entered an order on April 16, 2024 finding that the Respondent's actions had indeed violated O.C.G.A. §§ 25-9-8(a), 25-9-6(a), 25-9-8(b), 25-9-8(e) (collectively, the "Violations"). The Commission ordered that the Respondent be assessed a penalty pursuant to O.C.G.A. § 25-9-14(k)(7). A penalty in the amount of $16,000 was ordered and the Respondent was provided an opportunity to mitigate $12,000 of the penalty by completing a Commission approved damage prevention training program (the "Original Civil Penalty").

On July 18, 2024, the Commission issued a Procedural and Scheduling Order to address the Respondent's failure to comply with the Commission's Final Orders. Specifically, the Commission asserted the following:

1. The Commission has the power and authority to enforce the provisions of O.C.G.A. T46, Ch 2-91.
2. The Commission issued Orders on April 16, 2024, requiring payment of a civil penalty and/or completion of a damage prevention-training program for Respondent committing the Violations. Respondent has neither paid the civil penalty nor completed a damage prevention course, thus violating the terms of the Order issued by the Commission.

A proceeding was held in accordance with O.C.G.A. § 46-2-91 on February 26, 2025.

FINDINGS AND CONCLUSIONS

Based upon the testimony of all witnesses, the documentary evidence at the evidentiary hearing, and an assessment of the credibility of the witnesses and evidence at this proceeding, the Commission hereby makes the following findings of fact and conclusions of law with respect to the issues involved in this case:

Morgan Mitchell testified in this proceeding on behalf of Commission Staff. Ms. Mitchell is the assistant to the GUFPA Program Managers for the Commission's Pipeline and Facilities Safety Section and is generally responsible for the delivery of consent agreements, Notice of Hearings, and Final Orders to probable violators of GUFPA and/or O.C.G.A. § 46-2-91.

During the hearing, Staff entered Exhibits 3 and 4 into evidence. Exhibit 3 was a chart that detailed information regarding the Final Order, Notice of Hearing, and the date of service for both the Final Order and Notice of Hearing. Exhibit 4 included copies of the Final Order, Notice of Hearing, and supporting documents for the date of service for both the Final Order and Notice of Hearing.

On April 16, 2024, the Commission issued a Final Order in this docket finding that the Respondent committed the Violations and provided Respondent thirty (30) days from the date of the Final Order to pay the Original Civil Penalty.

Ms. Mitchell testified that the Commission's Final Order was mailed to Respondents by certified mail. Per Ms. Mitchell, the certified mail copy of the Final Order was returned.

Ms. Mitchell testified that Respondents were provided notice of this proceeding by certified mail. The certified mail receipt and signed return receipt indicating the delivery of the Notice of Hearing and Procedural and Scheduling Order for this proceeding were entered into evidence as part of Staff Exhibit #4.

Ms. Mitchell testified that as of the date of this proceeding, Respondents had failed to comply with the Order of the Commission in this Docket. Specifically, Respondents had failed to pay the penalty and/or to mitigate a portion thereof through damage prevention training class and further, Respondents had not given any adequate explanation as to the failure to comply.

Based upon the facts and circumstances presented in this case, and in accordance with O.C.G.A. § 46-2-91(b), the Commission finds that Respondents have failed to comply with a lawful Order of this Commission.

PENALTIES

Pursuant to O.C.G.A. § 46-2-91(a), the Commission has authority to impose a civil penalty not exceeding $15,000.00 for such violation of a Commission Order and an additional penalty not to exceed $10,000 for each day during which such violation continues. The Commission concludes that it is appropriate to impose a civil penalty against Respondents in the amount of **fifteen thousand dollars ($15,000)** for violation of O.C.G.A. § 46-2-91(a). This penalty is *in addition to* the Original Civil Penalty.

WHEREFORE IT IS ORDERED, that pursuant to O.C.G.A. § 46-2-91(a) The Commission concludes that it is appropriate to impose a civil penalty against Respondents in the amount of **fifteen thousand dollars ($15,000)** for violation of O.C.G.A. § 46-2-91(a). Respondents shall pay such civil penalty to the Commission, in certified funds, within thirty (30) days from the date of this Order.

ORDERED FURTHER, this penalty is *in addition to* those penalties already assessed by previous Commission Orders in this Docket.

ORDERED FURTHER, all findings, conclusions, and decisions contained within the preceding sections of this Order are hereby adopted as findings of fact, conclusions of law, and decisions of regulatory policy of this Commission.

ORDERED FURTHER, any motion for reconsideration, rehearing or oral argument, or any other motion shall not stay the effective date of this Order, unless otherwise ordered by this Commission.

ORDERED FURTHER, jurisdiction over this matter is expressly retained for the purpose of entering such further Order or Orders as this Commission may deem just and proper.

The above by action of the Commission in Administrative Session on the 6th day of June, 2025.

Sallie Tanner

Sallie Tanner
Executive Secretary

6-12-25
Date

Jason Shaw
Chairman

6-12-25
Date

BEFORE THE PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

DOCKET NO. 45014	Willie Mickle Plumbing Service;	Case Nos. 23-25062; 23-25063

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing **Final Order** was filed with the Executive Secretary of the Georgia Public Service Commission, and a copy of same was served upon all parties listed below via hand or electronic delivery as indicated, or by depositing same in the United States mail with sufficient postage thereon to insure delivery and addressed as follows:

Sallie Tanner, Executive Secretary Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY HAND)	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058
Chesley Dix Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	Willie Mickle, registered agent c/o Willie Mickle Plumbing 1065 Media Avenue Jackson, MS 39206
Keimani Harvey Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	

This 16th day of June, 2025.

Maritza Rivera
Clerk
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

FILED
MAR 07 2025
EXECUTIVE SECRETARY
GPSC

DOCKET# 45014
DOCUMENT# 221762

COMMISSIONERS:
JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

DOCKET NO. 45014 Willie Mickle Plumbing Service; PSC Case No. 23-25062; 23-25063

RECOMMENDED FINAL ORDER

APPEARANCES:

Georgia Public Service Commission Staff: Chesley Dix

Willie Mickle Plumbing Service: No appearance

PROCEDURAL HISTORY

On February 26, 2025, the Georgia Public Service Commission ("Commission") conducted an evidentiary hearing in order to hear and receive evidence of an alleged violation of the Georgia Utilities Facility Protection Act ("GUFPA") by the Respondent, **Willie Mickle Plumbing Service**. No appearance was entered by the Respondent at that hearing. After the hearing, the Commission entered an order on April 16, 2024 finding that the Respondent's actions had indeed violated O.C.G.A. §§ 25-9-8(a), 25-9-6(a), 25-9-8(b), 25-9-8(e) (collectively, the "Violations"). The Commission ordered that the Respondent be assessed a penalty pursuant to O.C.G.A. § 25-9-14(k)(7). A penalty in the amount of $16,000 was ordered and the Respondent was provided an opportunity to mitigate $12,000 of the penalty by completing a Commission approved damage prevention training program (the "Original Civil Penalty").

On July 18, 2024, the Commission issued a Procedural and Scheduling Order to address the Respondent's failure to comply with the Commission's Final Orders. Specifically, the Commission asserted the following:

1. The Commission has the power and authority to enforce the provisions of O.C.G.A. T46, Ch 2-91.
2. The Commission issued Orders on April 16, 2024, requiring payment of a civil penalty and/or completion of a damage prevention-training program for Respondent committing the Violations. Respondent has neither paid the civil penalty nor completed a damage prevention course, thus violating the terms of the Order issued by the Commission.

A proceeding was held in accordance with O.C.G.A. § 46-2-91 on February 26, 2025.

FINDINGS AND CONCLUSIONS

Based upon the testimony of all witnesses, the documentary evidence at the evidentiary hearing, and an assessment of the credibility of the witnesses and evidence at this proceeding, the Commission hereby makes the following findings of fact and conclusions of law with respect to the issues involved in this case:

Morgan Mitchell testified in this proceeding on behalf of Commission Staff. Ms. Mitchell is the assistant to the GUFPA Program Managers for the Commission's Pipeline and Facilities Safety Section and is generally responsible for the delivery of consent agreements, Notice of Hearings, and Final Orders to probable violators of GUFPA and/or O.C.G.A. § 46-2-91.

During the hearing, Staff entered Exhibits 3 and 4 into evidence. Exhibit 3 was a chart that detailed information regarding the Final Order, Notice of Hearing, and the date of service for both the Final Order and Notice of Hearing. Exhibit 4 included copies of the Final Order, Notice of Hearing, and supporting documents for the date of service for both the Final Order and Notice of Hearing.

On April 16, 2024, the Commission issued a Final Order in this docket finding that the Respondent committed the Violations and provided Respondent thirty (30) days from the date of the Final Order to pay the Original Civil Penalty.

Ms. Mitchell testified that the Commission's Final Order was mailed to Respondents by certified mail. Per Ms. Mitchell, the certified mail copy of the Final Order was returned.

Ms. Mitchell testified that Respondents were provided notice of this proceeding by certified mail. The certified mail receipt and signed return receipt indicating the delivery of the Notice of Hearing and Procedural and Scheduling Order for this proceeding were entered into evidence as part of Staff Exhibit #4.

Ms. Mitchell testified that as of the date of this proceeding, Respondents had failed to comply with the Order of the Commission in this Docket. Specifically, Respondents had failed to pay the penalty and/or to mitigate a portion thereof through damage prevention training class and further, Respondents had not given any adequate explanation as to the failure to comply.

Based upon the facts and circumstances presented in this case, and in accordance with O.C.G.A. § 46-2-91(b), the Commission finds that Respondents have failed to comply with a lawful Order of this Commission.

PENALTIES

Pursuant to O.C.G.A. § 46-2-91(a), the Commission has authority to impose a civil penalty not exceeding $15,000.00 for such violation of a Commission Order and an additional penalty not to exceed $10,000 for each day during which such violation continues. The Commission concludes that it is appropriate to impose a civil penalty against Respondents in the amount of **fifteen thousand dollars ($15,000)** for violation of O.C.G.A. § 46-2-91(a). This penalty is *in addition to* the Original Civil Penalty.

WHEREFORE IT IS ORDERED, that pursuant to O.C.G.A. § 46-2-91(a) The Commission concludes that it is appropriate to impose a civil penalty against Respondents in the amount of **fifteen thousand dollars ($15,000)** for violation of O.C.G.A. § 46-2-91(a). Respondents shall pay such civil penalty to the Commission, in certified funds, within thirty (30) days from the date of this Order.

ORDERED FURTHER, this penalty is *in addition to* those penalties already assessed by previous Commission Orders in this Docket.

ORDERED FURTHER, all findings, conclusions, and decisions contained within the preceding sections of this Order are hereby adopted as findings of fact, conclusions of law, and decisions of regulatory policy of this Commission.

ORDERED FURTHER, any motion for reconsideration, rehearing or oral argument, or any other motion shall not stay the effective date of this Order, unless otherwise ordered by this Commission.

ORDERED FURTHER, jurisdiction over this matter is expressly retained for the purpose of entering such further Order or Orders as this Commission may deem just and proper.

The above by action of the Commission in Administrative Session on the __ day of _____, 2025.

Sallie Tanner **Executive Secretary**	**Jason Shaw** **Chairman**
Date	Date

BEFORE THE PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

DOCKET NO. 45014	Willie Mickle Plumbing Service;	Case Nos. 23-25062; 23-25063

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing **Recommended Final Order** was filed with the Executive Secretary of the Georgia Public Service Commission, and a copy of same was served upon all parties listed below via hand or electronic delivery as indicated, or by depositing same in the United States mail with sufficient postage thereon to insure delivery and addressed as follows:

Sallie Tanner, Executive Secretary Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY HAND)	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058
Chesley Dix Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	Willie Mickle, registered agent c/o Willie Mickle Plumbing 1065 Media Avenue Jackson, MS 39206
Keimani Harvey Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	

This **26** day of **February**, 2025



Nancy Gibson
Hearing Officer

Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

EXHIBIT 4

FILED
NOV 14 2024
EXECUTIVE SECRETARY
GPSC

COMMISSIONERS:
JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

DOCKET# 45014
DOCUMENT# 220393

IN THE MATTER OF:

GUFPA CASE NO. PSC 23-25062 and PSC 23-25063

DOCKET NO. 45014

11.14.2024
MAILED
11-22-24
MAILED

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test
Respondent

NOTICE OF HEARING AND PROCEDURAL AND SCHEDULING ORDER

To: **Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test**
Attn: Willie Mickle
5751 Albans Way
Lithonia, GA 30058

You are hereby notified that the Georgia Public Service Commission ("Commission") will hold a hearing in the Hearing Room of the Commission, located at 244 Washington Street, S.W., Atlanta, Georgia 30334-5701, **commencing at 10:00 o'clock a.m. on the February 26, 2025,** and continuing on such further days as the Commission deems necessary until completed, for the purpose of hearing evidence regarding alleged violations of O.C.G.A. T.46, Ch.2-91, as set forth herein under the heading titled "Matters Asserted" that, if proven, may result in the imposition of a penalty against Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test (also referred to herein as "Respondent") in an amount not to exceed $15,000 per violation plus $10,000 for each day that the Respondent is found to be in violation of the Commission's Order. Notification of the following matters is hereby given:

LEGAL AUTHORITY FOR HEARING

This hearing will be held under the authority and jurisdiction conferred upon the Commission by O.C.G.A. § 46-2-91; and in accordance with the Georgia Administrative Procedure Act, O.C.G.A. § 50-13, and the Rules and Regulations of the Commission.

EXHIBIT 4

PROCEDURES

The following are the procedures to which any party to this hearing should adhere with respect to this docket:

1. **Intervention:**

   (a) Any person or party upon whom a statute does not confer an unconditional right to intervene must file an application to intervene within thirty (30) days following the first published notice of the proceedings.

   (b) Applications must clearly specify the docket in which the applicant seeks to intervene. In addition to the requirements prescribed in O.C.G.A. § 46-2-59 for applications for leave to intervene, the applicant must: (1) identify other intervening parties or intervening party applicants whose interest is similar to that of the applicant along with an explanation of why the identified intervening parties or intervening party applicant will not adequately represent the applicant's interest: and (2) state the applicant's present intention to submit direct testimony and by whom and on what subject. The requirements identified herein shall constitute a continuing obligation of the applicant or intervening party. Any objections to applications must be filed in accordance with O.C.G.A § 46-2-59(d).

   (c) Any application for leave to intervene that is filed late must state the reason why such application was not filed within thirty (30) days of the first published notice. Objections to later intervention application must be filed in conformity with the requirements of O.C.G.A. § 46-2-59(d).

   (d) The Commission will take up and rule on applications for leave to intervene at the first hearing date scheduled in this docket.

2. **Service:**

   In addition to filing an original and eight (8) copies of documents, with a 3.5" disk containing the electronic version of the document in either Microsoft Word for text documents or Microsoft Excel format for spreadsheets, with the Commission's Executive Secretary, copies of all pleadings, filings, correspondence, and any other documents related to an submitted in the course of this docketed matter should be served upon all other interveners recognized by the Commission in this docket.

3. **Hearing Exhibits:**

   It shall be the responsibility of the party sponsoring any hearing exhibits to see that the court reporter and all parties of record, in addition to the individual Commissioners or hearing officer, receive copies of all exhibits at the time of their introduction at the hearing.

EXHIBIT 4

RIGHTS OF RESPONDENT

The Respondent has the following rights in connection with this hearing:

(1) To respond to the matters asserted in this document and to present evidence on any relevant issue;

(2) To be represented by counsel at its expense;

(3) To subpoena witnesses and documentary evidence through the Commission by filing requests with the Executive Secretary of the Commission; and

(4) Such other rights as are conferred by law and the rules and regulations of the Commission.

MATTERS ASSERTED

1.

The Commission has the power and authority to enforce the provisions of O.C.G.A. T 46, Ch 2-91.

2.

The Commission issued an Order on requiring payment of a fine and/or completion of a damage prevention-training program in settlement of a violation of the Georgia Utility Underground Act. That Order specified that any fine was to be paid within thirty (30) days of the date of the Order, and any training was to be accomplished within forty-five (45) days of the date of the Order. Respondent has not paid such fine and/or completed a damage-prevention training program, violating the terms of the Order issued by the Commission.

STATUTES INVOLVED

O.C.G.A. § 46-2-91: Failure, neglect, or refusal to abide by the terms of an Order issued by the Commission

WHEREFORE, THE COMMISSION ORDERS that:

A. This Notice of Hearing and Procedural and Scheduling Order shall be served upon the Respondent by certified mail and shall constitute notice to the Respondent of the matters asserted pursuant to O.C.G.A. § 50-13-13(a). A copy of this Order shall be served upon the Consumers' Utility Counsel pursuant to Commission Rule 515-2-1-.09; and public notice of this investigation and hearing shall also be given by publication by the Commission.

B. The Commission hereby adopts the schedule, procedures, and statements regarding the issues and matters asserted set forth within this Order.

C. A motion for reconsideration, rehearing, oral argument, or any other motion shall not stay the effective date of this Order, unless otherwise ordered by the Commission.

D. Jurisdiction over these matters is expressly retained for the purpose of entering such further Order or Orders as this Commission may deem just and proper.

EXHIBIT 4

E. The Commission hereby assigns this matter for hearing before its hearing officer, Mr. Phillip J. Smith, Esq.

NOTICE: No continuance or postponement of the above-scheduled hearing will be granted, except upon 72 hours' written notice and except for good cause shown. All requests for continuance should be addressed to Mr. Will Culbreath, with a copy to Mrs. Yolanda Clay, at Georgia Public Service Commission, 244 Washington Street, SW, Atlanta, Georgia 30334-5701 [facsimile # 404-463-6532] or via e-mail to wculbreath@psc.state.ga.us and yclay@psc.state.ga.us. Please include documentation in support of your request for continuance. If your presence is required in court or before a government agency on the hearing date scheduled in this Notice, you must provide a copy of the court or agency calendar or subpoena showing the date and time of the conflicting hearing. Only upon receipt of written response from the Commission excusing your appearance are you excused from your duty to appear at the hearing noticed hereby.

The above by action of the Commission in Administrative Session on July 18, 2024.

Sallie Tanner
Executive Secretary

11-14-24
Date

Jason Shaw
Chairman

11-14-24
Date

EXHIBIT 4

COMMISSIONERS:

JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION

IN THE MATTER OF:	)	
	)	
Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test,	)	DOCKET NO. 45014
	)	(PSC Case No. 23-25062 and
RESPONDENTS	)	23-25063)

CERTIFICATE OF SERVICE

I hereby certify that this Notice of Hearing was filed with the Commission's Executive Secretary and a copy of same was served upon all parties and persons listed below via hand delivery as indicated by an asterisk, or by depositing same in the United States mail.

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test
Attn: Willie Mickle
5751 Albans Way
Lithonia, GA 30058

Willie Mickle, registered agent c/o
Willie Mickle Plumbing
1065 Media Avenue
Jackson, MS 39206

Respectfully Submitted this 4th day of December, 2024:

Maritza Rivera, Admin. Assistant
Facilities Protection Unit
Georgia Public Service Commission
244 Washington St. Ste. 112
Atlanta, GA 30334

EXHIBIT 4

FILED

MAY 15 2024

EXECUTIVE SECRETARY
G.P.S.C.

DOCKET# 45014
DOCUMENT# 218727

COMMISSIONERS:
JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

IN THE MATTER OF:

MAILED
5.22.2024

Case Nos. 23-25062; 23-25063

DOCKET NO. 45014

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058;

FINAL ORDER

APPEARANCES:

Georgia Public Service Commission Staff: Janey Chauvet and Chesley Dix

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058: No appearance

PROCEDURAL HISTORY

On November 11, 2021, while working at 2049 Cherrybrook Drive, Decatur, Georgia, and on January 17, 2023 while working at 1649 Van Epps Street SE in Atlanta, **Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058** ("Respondent") caused damage to a utility facility while using mechanized equipment. Following its investigation of this incident, Commission Staff determined that the Respondent was in violation of O.C.G.A. §§ 25-9-6(a); 25-9-8(a); 25-9-8(b); and 25-9-8(e) (the "Violations") and recommended, through Consent Agreement, that Respondent be assessed a $15000 civil penalty with the ability to mitigate $12000 by completing a Commission approved damage prevention training program.

On July 20, 2023, the Commission issued a Notice of Hearing and Procedural and Scheduling Order. Respondent was advised that a hearing would be held for the purpose of hearing

evidence regarding the Violations and that, if proven, such Violations may result in the imposition of a civil penalty as provided by law.

On January 10, 2024, a hearing was conducted in this Docket, at which time the Commission's Hearing Officer heard testimony from Staff witnesses. Staff entered two exhibits into evidence. Exhibit 1 was a chart that detailed information regarding: the incident date and location, violation cited, terms of Consent Agreement, date of service for both Consent Agreement and Notice of Hearing, and status of certified mail return receipt for Notice of Hearing. Exhibit 2 included copies of: The Notice of Probable Violation, Incident Investigation Report, Consent Agreement, Notice of Hearing and Procedural and Scheduling Order, Certified Mail Return Receipt and other supporting documentation. At the hearing, several issues were presented for determination, including whether Respondent committed the Violations and whether the Respondent should be penalized pursuant to O.C.G.A § 25-9-14(k)(7) [pursuant to O.C.G.A § 25-9-13(h)(7) prior to September 2022] in an amount of up to $10,000.00 for each violation.

FINDINGS AND CONCLUSIONS

Staff witnesses Onterio Johnson and Morgan Mitchell testified at the proceeding. Johnson is a Commission GUFPA investigator and is generally responsible for investigating notices of probable violation of the Act. Ms. Mitchell is the assistant to the GUFPA Program and Assistant Program Managers, and is generally responsible for the delivery of consent agreements, Notice of Hearings, and Final Orders to probable violators of GUFPA and O.C.G.A. § 46-2-91. Johnson submitted a detailed copy of his report of the investigation. Based on the probable violation damage reports filed by the utility and upon further investigation into the matter. Johnson determined that:

1. Respondent failed to contact the UPC before commencing excavation or blasting with mechanized equipment in violation of O.C.G.A. § 25-9-6(a); and
2. Respondent struck, injured, or loosened any utility facility which had been staked or marked in violation of O.C.G.A. § 25-9-8(a); and
3. Respondent failed to exercise reasonable care when blasting or excavating is to take place within the tolerance zone in violation of O.C.G.A. § 25-9-8(b); and
4. Respondent failed to notify both the UPC and the affected facility owner/operator after a damage occurs in violation of O.C.G.A. § 25-9-8(e).

Based upon the facts and circumstances presented in this case, the Commission finds that Respondent committed the Violations.

PENALTIES

Pursuant to O.C.G.A § 25-9-14(k)(7), the Commission has the authority to impose a civil penalty not exceeding $10,000.00 for each violation of the Act, if it is proven that any person violated any provision of the Act as a result of a failure to exercise reasonable care.

WHEREFORE IT IS ORDERED, that pursuant to O.C.G.A § 25-9-14(k)(7) a civil penalty in the amount of **$16000** be imposed against Respondent for the above cited violations. Respondent shall pay such civil penalty to the Commission, in certified funds, within thirty (30) days from the date of this Order.

ORDERED FURTHER, that Respondent may mitigate $12000 of the civil penalty ordered in this case by a minimum of five (5) employees completing a Commission-approved damage prevention training course within forty-five (45) days from the date of this Order.

ORDERED FURTHER, that all findings, conclusions and decisions contained within the preceding sections of this Order are hereby adopted as findings of fact, conclusions of law, and decisions of regulatory policy of this Commission.

ORDERED FURTHER, that any motion for reconsideration, rehearing or oral argument or any other motion shall not stay the effective date of this Order, unless otherwise ordered by this Commission.

ORDERED FURTHER, that jurisdiction over this matter is expressly retained for the purpose of entering such further Order or Orders as this Commission may deem just and proper.

The above by action of the Commission in Administrative Session on the 16th day of April 2024.

Sallie Tanner
Executive Secretary

5-15-24
Date

Jason Shaw
Chairman

5-15-24
Date

EXHIBIT 4

BEFORE THE PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

DOCKET NO. 45014 Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058; Case Nos. 23-25062; 23-25063

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing **Final Order** was filed with the Executive Secretary of the Georgia Public Service Commission, and a copy of same was served upon all parties listed below via hand or electronic delivery as indicated, or by depositing same in the United States mail with sufficient postage thereon to ensure delivery and addressed as follows:

Sallie Tanner, Executive Secretary Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY HAND)	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058
Janey Chauvet Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	Willie Mickle, registered agent c/o Willie Mickle Plumbing 1065 Media Avenue Jackson, MS 39206
Ray-Kelle Preston Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	

This 23rd day of May, 2024.

Maritza Rivera
Clerk
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

EXHIBIT 4

FILED

JAN 17 2024

EXECUTIVE SECRETARY
G.P.S.C

DOCKET# 45014
DOCUMENT# 217102

COMMISSIONERS:

JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

IN THE MATTER OF:

Case Nos. 23-25062; 23-25063 **DOCKET NO. 45014**

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058;

RECOMMENDED FINAL ORDER

APPEARANCES:

Georgia Public Service Commission Staff: Janey Chauvet and Chesley Dix

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058: No appearance

PROCEDURAL HISTORY

On November 11, 2021, while working at 2049 Cherrybrook Drive, Decatur, Georgia, and on January 17, 2023 while working at 1649 Van Epps Street SE in Atlanta, **Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058** ("Respondent") caused damage to a utility facility while using mechanized equipment. Following its investigation of this incident, Commission Staff determined that the Respondent was in violation of O.C.G.A. §§ 25-9-6(a); 25-9-8(a); 25-9-8(b); and 25-9-8(e) (the "Violations") and recommended, through Consent Agreement, that Respondent be assessed a $15,000 civil penalty with the ability to mitigate $12,000 by completing a Commission approved damage prevention training program.

On July 20, 2023, the Commission issued a Notice of Hearing and Procedural and Scheduling Order. Respondent was advised that a hearing would be held for the purpose of hearing

evidence regarding the Violations and that, if proven, such Violations may result in the imposition of a civil penalty as provided by law.

On January 10, 2024, a hearing was conducted in this Docket, at which time the Commission's Hearing Officer heard testimony from Staff witnesses. Staff entered two exhibits into evidence. Exhibit 1 was a chart that detailed information regarding: the incident date and location, violation cited, terms of Consent Agreement, date of service for both Consent Agreement and Notice of Hearing, and status of certified mail return receipt for Notice of Hearing. Exhibit 2 included copies of: The Notice of Probable Violation, Incident Investigation Report, Consent Agreement, Notice of Hearing and Procedural and Scheduling Order, Certified Mail Return Receipt and other supporting documentation. At the hearing, several issues were presented for determination, including whether Respondent committed the Violations and whether the Respondent should be penalized pursuant to O.C.G.A § 25-9-14(k)(7) [pursuant to O.C.G.A § 25-9-13(h)(7) prior to September 2022] in an amount of up to $10,000.00 for each violation.

FINDINGS AND CONCLUSIONS

Staff witnesses Onterio Johnson and Morgan Mitchell testified at the proceeding. Johnson is a Commission GUFPA investigator and is generally responsible for investigating notices of probable violation of the Act. Ms. Mitchell is the assistant to the GUFPA Program and Assistant Program Managers, and is generally responsible for the delivery of consent agreements, Notice of Hearings, and Final Orders to probable violators of GUFPA and O.C.G.A. § 46-2-91. Johnson submitted a detailed copy of his report of the investigation. Based on the probable violation damage reports filed by the utility and upon further investigation into the matter. Johnson determined that:

1. Respondent failed to contact the UPC before commencing excavation or blasting with mechanized equipment in violation of O.C.G.A. § 25-9-6(a); and
2. Respondent struck, injured, or loosened any utility facility which had been staked or marked in violation of O.C.G.A. § 25-9-8(a); and
3. Respondent failed to exercise reasonable care when blasting or excavating is to take place within the tolerance zone in violation of O.C.G.A. § 25-9-8(b); and
4. Respondent failed to notify both the UPC and the affected facility owner/operator after a damage occurs in violation of O.C.G.A. § 25-9-8(e).

Based upon the facts and circumstances presented in this case, the Commission finds that Respondent committed the Violations.

PENALTIES

Pursuant to O.C.G.A § 25-9-14(k)(7), the Commission has the authority to impose a civil penalty not exceeding $10,000.00 for each violation of the Act, if it is proven that any person violated any provision of the Act as a result of a failure to exercise reasonable care.

WHEREFORE IT IS ORDERED, that pursuant to O.C.G.A § 25-9-14(k)(7) a civil penalty in the amount of **$16,000** be imposed against Respondent for the above cited violations.

Respondent shall pay such civil penalty to the Commission, in certified funds, within thirty (30) days from the date of this Order.

ORDERED FURTHER, that Respondent may mitigate $12,000 of the civil penalty ordered in this case by a minimum of five (5) employees completing a Commission-approved damage prevention training course within forty-five (45) days from the date of this Order.

ORDERED FURTHER, that all findings, conclusions and decisions contained within the preceding sections of this Order are hereby adopted as findings of fact, conclusions of law, and decisions of regulatory policy of this Commission.

ORDERED FURTHER, that any motion for reconsideration, rehearing or oral argument or any other motion shall not stay the effective date of this Order, unless otherwise ordered by this Commission.

ORDERED FURTHER, that jurisdiction over this matter is expressly retained for the purpose of entering such further Order or Orders as this Commission may deem just and proper.

The above by action of the Commission in Administrative Session on the ____ day of _____ 2024.

Sallie Tanner **Executive Secretary**	**Jason Shaw** **Chairman**
Date	Date

EXHIBIT 4

BEFORE THE PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

DOCKET NO. 45014 Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058; Case Nos. 23-25062; 23-25063

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing **Recommended Order** was filed with the Executive Secretary of the Georgia Public Service Commission, and a copy of same was served upon all parties listed below via hand or electronic delivery as indicated, or by depositing same in the United States mail with sufficient postage thereon to ensure delivery and addressed as follows:

Sallie Tanner, Executive Secretary Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY HAND)	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test Attn: Willie Mickle 5751 Albans Way Lithonia, GA 30058
Janey Chauvet Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	Willie Mickle, registered agent c/o Willie Mickle Plumbing 1065 Media Avenue Jackson, MS 39206
Ray-Kelle Preston Georgia Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)	Chesley Dix Ga Public Service Commission 244 Washington Street, SW Atlanta, GA 30334 (BY ELECTRONICALLY)

This 16th day of January, 2024.

Nancy Gibson
Hearing Officer
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

EXHIBIT 4
FILED
DEC 04 2023
EXECUTIVE SECRETARY
G.P.S.C.

COMMISSIONERS:
JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

EXHIBIT 2
REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

DOCKET # 45014
DOCUMENT # 216577

IN THE MATTER OF:

GUFPA CASE NO. PSC 23-25062 and 23-25063

DOCKET NO. 45014

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test, Respondent

NOTICE OF HEARING AND PROCEDURAL AND SCHEDULING ORDER

To: **Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test**
Attn: Willie Mickle
5751 Albans Way
Lithonia, GA 30058

MAILED
12.5.2023

You are hereby notified that the Georgia Public Service Commission ("Commission") will hold a hearing in the Hearing Room of the Commission, located at 244 Washington Street, S.W., Atlanta, Georgia 30334-5701, **commencing at 10:00 o'clock a.m. on January 10, 2024** and continuing on such further days as the Commission deems necessary until completed, for the purpose of hearing evidence regarding alleged violations of O.C.G.A. T. 25, Ch. 9, as set forth herein under the heading titled "Matters Asserted" that, if proven, may result in the imposition of a penalty against Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test (also referred to herein as "Respondents") in an amount not to exceed $10,000.00 per violation. Notification of the following matters is hereby given:

LEGAL AUTHORITY FOR HEARING

This hearing will be held under the authority and jurisdiction conferred upon the Commission by O.C.G.A. §25-9-13 and §46-2-91; and in accordance with the Georgia Administrative Procedure Act, O.C.G.A. §50-13, and the Rules and Regulations of the Commission.

PROCEDURES

The following are the procedures to which any party to this hearing should adhere with respect to this docket:

1. **Intervention:**

   (a) Any person or party upon whom a statute does not confer an unconditional right to intervene must file an application to intervene within thirty (30) days following the first published notice of the proceedings.

   (b) Applications must clearly specify the docket in which the applicant seeks to intervene. In addition to the requirements prescribed in O.C.G.A. §46-2-59 for applications for leave to intervene, the applicant must: (1) identify other intervening parties or intervening party applicants whose interest is similar to that of the applicant along with an explanation of why the identified intervening parties or intervening party applicant will not adequately represent the applicant's interest: and (2) state the applicant's present intention to submit direct testimony and by whom and on what subject. The requirements identified herein shall constitute a continuing obligation of the applicant or intervening party. Any objections to applications must be filed in accordance with O.C.G.A §46-2-59(d).

   (c) Any application for leave to intervene that is filed late must state the reason why such application was not filed within thirty (30) days of the first published notice. Objections to later intervention application must be filed in conformity with the requirements of O.C.G.A. §46-2-59(d).

   (d) The Commission will take up and rule on applications for leave to intervene at the first hearing date scheduled in this docket.

2. **Service:**

   In addition to filing an original and eight (8) copies of documents, with a 3.5" disk containing the electronic version of the document in either Microsoft Word for text documents or Microsoft Excel format for spreadsheets, with the Commission's Executive Secretary, copies of all pleadings, filings, correspondence, and any other documents related to, and submitted in, the course of this docketed matter should be served upon all other interveners recognized by the Commission in this docket.

3. **Hearing Exhibits:**

   It shall be the responsibility of the party sponsoring any hearing exhibits to see that the court reporter and all parties of record, in addition to the individual Commissioners or hearing officer, receive copies of all exhibits at the time of their introduction at the hearing.

RIGHTS OF RESPONDENT

Respondent have the following rights in connection with this hearing:

(1) To respond to the matters asserted in this document and to present evidence on any relevant issue;

(2) To be represented by counsel at its expense;

(3) To subpoena witnesses and documentary evidence through the Commission by filing requests with the Executive Secretary of the Commission; and

(4) Such other rights as are conferred by law and the rules and regulations of the Commission.

MATTERS ASSERTED

1.

The Commission has the power and authority to enforce the provisions of O.C.G.A. T, 25, Ch 9.

2.

The Commission Staff received reports of multiple probable violation of GUFPA alleging that on or about January 17, 2023, Respondent violated O.C.G.A. T. 25, Ch. 9. A copy of this report is attached hereto as Attachment A. The allegations contained in the report constitute violations of O.C.G.A. T. 25, Ch. 9.

STATUTES INVOLVED

25-9-8(a) Striking, damaging, injuring or loosening any utility facility which has been staked or marked.

25-9-8(b) Failure to exercise reasonable care when excavating or blasting is to take place within the tolerance zone.

WHEREFORE, THE COMMISSION ORDERS that:

A. This Notice of Hearing and Procedural and Scheduling Order shall be served upon the Respondent by certified mail and shall constitute notice to the Respondent of the matters asserted pursuant to O.C.G.A. §50-13-13(a). A copy of this Order shall be served upon the Consumers' Utility Counsel pursuant to Commission Rule 515-2-1-.09; and public notice of this investigation and hearing shall be given by the Commission.

B. The Commission hereby adopts the schedule, procedures, and statements regarding the issues and matters asserted set forth within this Order.

C. A motion for reconsideration, rehearing, oral argument, or any other motion shall not stay the effective date of this Order, unless otherwise ordered by the Commission.

D. Jurisdiction over these matters is expressly retained for the purpose of entering such further Order or Orders as this Commission may deem just and proper.

E. The Commission hereby assigns this matter for hearing before its hearing officer, Nancy Gibson.

NOTICE: If Commission Staff determines to its satisfaction that the Respondent has satisfied the obligations of the prior Consent Order, Staff shall be authorized to *nolle prosequi* the Rule Nisi. No continuance or postponement of the above-scheduled hearing will be granted, except upon 72 hours' written notice and except for good cause shown. All requests for continuance should be addressed to Mr. Will Culbreath at Georgia Public Service Commission, 244 Washington Street, SW, Atlanta, Georgia 30334-5701 [facsimile # 404-463-6532] or via e-mail to wculbreath@psc.state.ga.us. Please include documentation in support of your request for continuance. If your presence is required in court or before a government agency on the hearing date scheduled in this Notice, you must provide a copy of the court or agency calendar or subpoena showing the date and time of the conflicting hearing. Only upon receipt of written response from the Commission excusing your appearance are you excused from your duty to appear at the hearing noticed hereby.

The above by action of the Commission in Administrative Session on July 20, 2023.

Sallie Tanner
Executive Secretary

12-4-23
Date

Jason Shaw
Chairman

12-4-23
Date

COMMISSIONERS:
*JASON SHAW, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

EXHIBIT 4



EXHIBIT 2

REECE McALISTER
EXECUTIVE DIRECTOR

SALLIE TANNER
EXECUTIVE SECRETARY

Georgia Public Service Commission

(404) 656-4501
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 656-2341
psc.ga.gov

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION

IN THE MATTER OF:	)	
	)	
Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test,	)	DOCKET NO. 45014
RESPONDENTS	)	(PSC Case No. 23-25062 and 23-05063)

CERTIFICATE OF SERVICE

I hereby certify that this Notice of Hearing was filed with the Commission's Executive Secretary and a copy of same was served upon all parties and persons listed below via hand delivery as indicated by an asterisk, or by depositing same in the United States mail.

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test
Attn: Willie Mickle
5751 Albans Way
Lithonia, GA 30058

Willie Mickle, registered agent c/o
Willie Mickle Plumbing
1065 Media Avenue
Jackson, MS 39206

Respectfully Submitted this 5th day of December, 2023:

Maritza Rivera, Admin. Assistant
Facilities Protection Unit
Georgia Public Service Commission
244 Washington St. Ste. 112
Atlanta, GA 30334

EXHIBIT 4

EXHIBIT 2

COMMISSIONERS:
TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

MICHELLE THEBERT
FACILITIES PROTECTION
UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

2/28/2023

Willie Mickle Plumbing Service, also d/b/a
Willie Mickle Plumbing & Gas Test
Attn: Willie Mickle
5751 Albans Way
Lithonia, GA 30058

Date of Incident: 1/17/2023
Docket #: 45014
Case #: PSC 23-25062 and 23-25063
Incident Location: 1649 Van Epps Street SE, Atlanta and 2049 Cherrybrook Drive, Decatur

To Whom It May Concern:

A Notice of Probable Violation(s) ("NOPV") of the Georgia Underground Facility Protection Act ("GUFPA" or the "Act") has been filed with the Georgia Public Service Commission Pipeline/Facilities Safety Office ("Staff") naming you as the probable violator ("Respondent"). A copy of the Act can be found at www.lexisnexis.com/hottopics/gacode (Title 25, Chapter 9). The probable violations alleged are as follows:

O.C.G.A. Violations

25-9-8(a) Striking, damaging, injuring or loosening any utility facility which has been staked or marked.

25-9-8(b) Failure to exercise reasonable care when excavating or blasting is to take place within the tolerance zone.

Violations of the Act are punishable by civil penalties of up to $10,000.00 (ten thousand dollars) *per violation*. **Staff recommends a civil penalty of $15,000.00. Respondent may choose from one of several options regarding the alleged probable violations. Staff recommends mitigation of $12,000.00 of the above-recommended civil penalty by attendance of five or more employees at a Commission approved damage prevention class. The respondent will be responsible for completing the training class and submitting the remaining $3,000.00 penalty in certified funds or cashier's check to the Georgia Public Service Commission.**

Specific information about the above probable violation(s) is provided in this packet so please read all documentation **completely** and **carefully**. In this packet, you will find the **Response Options, NOPV/Incident Report, Consent Agreement,** additional information on **Requests for GUFPAAC,** and a list of **Commission Approved Damage Prevention Trainers.**

YOUR AFFIRMATIVE WRITTEN RESPONSE IS REQUIRED WITHIN 30 DAYS OF THE DATE OF THIS NOPV (See "Response Options" page for more information). Failure to respond either by executing the consent agreement or requesting a hearing before the Advisory Committee will result in the issuance of a Rule NISI to be heard before the Georgia Public Service Commission.

If you have any questions, please call me at (404) 463-6526.

Sincerely,

Onterio Johnson
ojohnson@psc.state.ga.us
GPSC GUFPA Investigator

EXHIBIT 4 **EXHIBIT 2**

RESPONSE OPTIONS

(Please check only one)

Respondent: Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test
Docket #: 45014
Case #: PSC 23-25062 and 23-25063

Respondent may choose from **ONE** of the following **OPTIONS** to dispose of this case:

☐ **OPTION 1 – I Disagree and want to attend GUFPAAC:** If you *disagree* with the probable violation(s) alleged you may request to appear and have your case heard before the Georgia Underground Facility Act Advisory Committee ("GUFPAAC"), a committee of industry stakeholders and peers. Please dispute same by submitting a detailed written response and return it along with all supporting evidence (pictures, diagrams, maps, witness statements and any other documentation to be used in support of your position) and sign/return the below statement within **thirty (30) days** of this NOPV:

I hereby request the opportunity to present my case to the GUFPAAC and I certify under the penalty of perjury that the response(s) and information provided regarding the afore-mentioned probable violation(s) are true and correct to the best of my knowledge.

Authorized Representative of Respondent _____ Date _____

***Upon receipt of your signature above, your detailed written response and all supporting evidence, your case will be scheduled to be heard by the GUFPAAC and you will be notified by mail of the date of this GUFPAAC meeting.**

☐ **OPTION 2 – I Disagree and want a Hearing before the Hearing Officer:** If you disagree with the probable violation(s) alleged, please dispute by submitting a detailed, written response along with all supporting evidence (pictures, diagrams, maps, witness statements and any other documentation) to be used in support of your position **within 30 days of receipt of this letter.** If you need more time to gather your information, **you must contact the GUFPA staff to request additional time. Note: The information you provide will not close the case, it will assist the investigator in his/her investigation to arrive at a more informed conclusion. If at the point you still disagree with the findings of the investigator, your case will be heard by a Commission hearing officer.**

** **Sign below only if you are choosing Option 2** **

I certify under the penalty of perjury that the response(s) and information provided regarding the afore-mentioned probable violation(s) are true and correct to the best of my knowledge.

Authorized Representative of Respondent _____ Date _____

☐ **OPTION 3 – I Agree and Wish to Pay the Mitigated Civil Penalty and attend Training:** If you agree with the alleged probable violation(s) please complete, sign and return the **Consent Agreement** provided for in this package. A **minimum of five (5) employees** of your company shall attend Commission approved damage prevention training. You must pay the recommended **mitigated** civil penalty of **$3,000.00**. Staff must receive the **signed Consent Agreement** and **this "Response" page** indicating your decision, and the mitigated penalty amount by certified check or money order within 30 days of receipt of this letter.

PLEASE NOTE: Georgia Law requires that ALL information requested in OPTION 1 and OPTION 2 be provided upon Staff's request. (O.C.G.A. §§ 24-10-26, 46-2-20 and 25-9-1 *et. seq.*). Failure to respond and/or comply with these requests for information in the 30 days provided for shall result in the loss of one or more of the **OPTIONS** presented.

☐ **OPTION 4 – I Agree and Wish to Pay the Full Civil Penalty:** If you agree with the alleged probable violation(s) please complete, sign and return the **Consent Agreement** provided for in this package and pay the full recommended civil penalty of **$15,000.00**. Staff must receive the **signed Consent Agreement** within **thirty (30) days** of this NOPV. THIS OPTION DOES NOT REQUIRE TRAINING.

EXHIBIT 4

EXHIBIT 2

COMMISSIONERS:
TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

MICHELLE THEBERT
FACILITIES PROTECTION
UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

DAMAGE REPORT (PROBABLE VIOLATION) – PSC 23-25062

INCIDENT INFORMATION

INCIDENT DATE:	1/17/2023	MATERIAL TYPE:	Plastic
FACILITY TYPE:	Gas	SIZE:	2
INCIDENT ADDRESS:	1649 Van Epps Street SE, Atlanta		
UTILITY LINE FUNCTION:	Main		
MECHANZIED EQPT.:	Backhoe/Trackhoe		

LOCATE INFORMATION

LOCATE COMPANY NAME:	USIC Locating
LOCATE NUMBER:	230116-001149
WAS FACILITY LOCATED?	Yes
LOCATE MARKS WITHIN 18 INCHES?	Yes

REPORTING INFORMATION

REPORTING COMPANY:	Atlanta Gas Light
CONTACT NAME:	Christy Rainwater
CONTACT NUMBER:	404-584-3135
MAILING ADDRESS:	Ten Peachtree Place N.E.
CITY, STATE, ZIP:	Atlanta, GA 30309
CUSTOMERS AFFECTED:	3
REPAIR COST:	$5,183.00

PROBABLE VIOLATOR INFORMATION

VIOLATOR COMPANY NAME:	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test
CONTACT NAME:	Willie Mikle
CONTACT NUMBER:	769-233-0628
MAILING ADDRESS:	Attn: Willie Mickle 5751 Albans Way
CITY, STATE, ZIP:	Lithonia, GA 30058

FACILITY OWNER INFORMATION

FACILITY OWNER:	Atlanta Gas Light
CONTACT NUMBER:	404-584-3135

PROBABLE VIOLATION(s)

O.C.G.A Violations

25-9-8(a) Striking, damaging, injuring or loosening any utility facility, which has been staked or marked.

25-9-8(b) Failure to exercise reasonable care when excavating or blasting is to take place within the tolerance zone.

DESCRIPTION OF DAMAGES:

Willie Mikle Plumbing Service damaged a 2-inch plastic main while excavating with a mechanized equipment.

EXHIBIT 4

EXHIBIT 2

GEORGIA PUBLIC SERVICE COMMISSION
GEORGIA UNDERGROUND FACILITY PROTECTION ACT

NOPV / INCIDENT REPORT – PSC 23-25062

Mail, Fax or e-mail to:	Georgia Public Service Commission Facilities Protection Unit 244 Washington Street, SW Atlanta, Georgia 30334
Investigator:	Onterio Johnson
Work Number:	(404) 463-6526
Website:	www.psc.state.ga.us
Docket Number:	45014
Case Number:	PSC 23-25062
Report Date:	1/23/2023
Incident Date:	1/17/2023
Facility Owner:	Atlanta Gas Light
Facility Owner Phone:	404-584-3135
Locator:	USIC Locating
Locator Phone:	317-810-8770
Excavator:	Willie Mikle Plumbing Service
Excavator Phone:	769-233-0628
Violator:	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test
Contact:	Willie Mikle
Address:	Attn: Willie Mickle 5751 Albans Way
City, State, Zip	Lithonia, GA 30058
Incident Location:	1649 Van Epps Street SE
Incident City:	Atlanta
Incident County:	DeKalb
Jurisdiction:	NOT REPORTED

UTILITY LINE IMPACT

Facility Type:	Gas
Material Type:	Plastic
Size (Diameter/Voltage/Pairs/etc.):	2
Pressure (PSIG/Inches):	Medium
Utility Line Function:	Main
Number of Customers Affected:	3
Repair Cost:	$5,183.00

INCIDENT IMPACT

Injury (# of outpatient care):	0
Injury (# of inpatient care):	0
Fatalities:	0
Fire Department Response:	Unknown
Police Department Response:	Unknown

EXCAVATION ACTIVITIES

Utility Ticket Number(s):	230116-001149
Equipment Involved:	Backhoe/Trackhoe
Nature of Excavation:	Sewer (Sanitary/Storm)
Direction of Excavation Relative to Damaged Utility Line:	

EXHIBIT 4

EXHIBIT 2

SYNOPSIS

According to a submitted report of a probable violation, Willie Mickle Plumbing Service was excavating at 1649 Van Epps Street, Atlanta, Georgia on January 17, 2023. Atlanta Gas Light reported this incident because Willie Mickle Plumbing Service struck and damaged a marked gas service facility and failed to exercise reasonable care while excavating within the tolerance zone.

INVESTIGATION:

Staff from the Facilities Protection Unit of the Georgia Public Service Commission received notification of probable violation from Atlanta Gas Light regarding the damage that occurred at 1649 Van Epps Street, Atlanta, Georgia on January 17, 2023. The submitted Atlanta Gas Light damage report indicates Willie Mickle Plumbing Service caused damage to a 2" plastic gas service facility. According to the report, the contractor was replacing a sewer service line and while excavating with mechanized equipment, Willie Mickle Plumbing Service struck and damaged a marked buried gas service facility. This incident was reported as a violation of OCGA 25-9-8(a) Striking, damaging, injuring, or loosening any utility facility, which has been staked or marked. OCGA 25-9-8(b) Failure to exercise reasonable care when excavating or blasting is to take place within the tolerance zone.

Staff searched Georgia (811) locate request database and was able to find the contractor locate ticket. According to the (811) positive response database, Atlanta Gas Light responded to the locate request, and the gas service was marked before the incident. Thus far, based on this initial information submitted by Atlanta Gas Light: It appears that Willie Mickle Plumbing Service may be in violation, pending a response to this Notice of Probable Violation.

CONCLUSION:

The Pipeline/Facilities Safety Staff found **Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test** in violation of:

O.C.G.A. Violations

25-9-8(a) Striking, damaging, injuring or loosening any utility facility, which has been staked or marked.

25-9-8(b) Failure to exercise reasonable care when excavating or blasting is to take place within the tolerance zone.

This investigation is pending the excavator's (your) response. If no response is submitted, staff will proceed to hearing based solely on the information submitted by the facility owner.

Note: The information you provide will not close the case, it will assist the investigator in his/her investigation to arrive at a more informed conclusion.

EXHIBIT 4

EXHIBIT 2

COMMISSIONERS:
TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

MICHELLE THEBERT
FACILITIES PROTECTION
UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

DAMAGE REPORT (PROBABLE VIOLATION) - PSC 23-25063

INCIDENT INFORMATION

INCIDENT DATE:	11/11/2021	MATERIAL TYPE:	Steel
FACILITY TYPE:	Gas	SIZE:	2
INCIDENT ADDRESS:	2049 Cherrybrook Drive, Decatur		
UTILITY LINE FUNCTION:	Main		
MECHANZIED EQPT.:	Backhoe/Trackhoe		

LOCATE INFORMATION

LOCATE COMPANY NAME:	N/A
LOCATE NUMBER:	99999-999-999
WAS FACILITY LOCATED?	No
LOCATE MARKS WITHIN 18 INCHES?	No

REPORTING INFORMATION

REPORTING COMPANY:	Atlanta Gas Light
CONTACT NAME:	Christy Rainwater
CONTACT NUMBER:	404-584-3135
MAILING ADDRESS:	Ten Peachtree Place N.E.
CITY, STATE, ZIP:	Atlanta, GA 30309
CUSTOMERS AFFECTED:	0
REPAIR COST:	$4,681.00

PROBABLE VIOLATOR INFORMATION

VIOLATOR COMPANY NAME:	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas test
CONTACT NAME:	Willie
CONTACT NUMBER:	769-233-0628
MAILING ADDRESS:	1065 Media Ave
CITY, STATE, ZIP:	Jackson, MS N/A

FACILITY OWNER INFORMATION

FACILITY OWNER:	Atlanta Gas Light
CONTACT NUMBER:	404-584-3135

PROBABLE VIOLATION(s)

O.C.G.A Violations

25-9-6(a) Failure to contact the UPC before commencing excavation or blasting with mechanized equipment.

25-9-8(e) Failure to notify both the UPC and the affected utility facility owner/operator after a damage occurs

DESCRIPTION OF DAMAGES:

Willie Mickle Plumbing damaged a 2-inch steel main while excavating with a mechanized equipment.

EXHIBIT 4

EXHIBIT 2

GEORGIA PUBLIC SERVICE COMMISSION
GEORGIA UTILITY FACILITY PROTECTION ACT

NOPV / INCIDENT REPORT – PSC 23-25063

Mail, Fax or e-mail to:	Georgia Public Service Commission Facilities Protection Unit 244 Washington Street, SW Atlanta, Georgia 30334
Investigator:	Onterio Johnson
Work Number:	(404) 463-6526
Website:	www.psc.state.ga.us
Docket Number:	45014
Case Number:	PSC 23-25063
Report Date:	12/9/2021
Incident Date:	11/11/2021
Facility Owner:	Atlanta Gas Light
Facility Owner Phone:	404-584-3135
Locator:	N/A
Locator Phone:	N/A
Excavator:	Willie Mickle Plumbing
Excavator Phone:	769-233-0628
Violator:	Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas test
Contact:	Willie
Address:	1065 Media Ave
City, State, Zip	Jackson, MS N/A
Incident Location:	2049 Cherrybrook Drive
Incident City:	Decatur
Incident County:	DeKalb
Jurisdiction:	NOT REPORTED

UTILITY LINE IMPACT

Facility Type:	Gas
Material Type:	Steel
Size (Diameter/Voltage/Pairs/etc.):	2
Pressure (PSIG/Inches):	Medium
Utility Line Function:	Main
Number of Customers Affected:	0
Repair Cost:	$4,681.00

INCIDENT IMPACT

Injury (# of outpatient care):	0
Injury (# of inpatient care):	0
Fatalities:	0
Fire Department Response:	Unknown
Police Department Response:	Unknown

EXCAVATION ACTIVITIES

Utility Ticket Number(s):	99999-999-999
Equipment Involved:	Backhoe/Trackhoe
Nature of Excavation:	Sewer (Sanitary/Storm)
Direction of Excavation Relative to Damaged Utility Line:	

EXHIBIT 4

EXHIBIT 2

SYNOPSIS

According to a submitted report of probable violation, Willie Mickle Plumbing Service was excavating at 2049 Cherry Brook Drive, Decatur, Georgia on November 11, 2021. Atlanta Gas Light reported this incident because Willie Mickle Plumbing Service did not have a valid locate ticket prior to excavating with mechanized equipment.

INVESTIGATION:

Staff from the Facilities Protection Unit of the Georgia Public Service Commission received a notice of probable violation from Atlanta Gas Light regarding the damage that occurred at 2049 Cherry Brook Drive, Decatur, Georgia on November 11, 2021. The submitted Atlanta Gas Light damage report indicates Willie Mickle Plumbing Service caused damage to a ½" plastic gas service line. According to the report, the contractor was repairing a sewer service line and while excavating with mechanized equipment, Willie Mickle Plumbing Service struck and damaged a buried gas service facility. This incident was reported as a violation of OCGA 25-9-6(a) Failure to contact the UPC (Georgia 811) before commencing excavation or blasting with mechanized equipment. OCGA 25-9-8(e) Failure to notify both the UPC and the affected utility facility owner/operator after a damage occurs.

Staff conducted a search of the Georgia (811) locate request database and was not able to find a valid locate ticket present. The type of work performed by the contractor does require a locate request prior to excavation. Staff was unable to find a valid damage ticket. Thus far, based on this initial information submitted by Atlanta Gas Light; it appears that Willie Mickle Plumbing Service may be in violation, pending a response to this Notice of Probable Violation.

EXHIBIT 4

EXHIBIT 2

COMMISSIONERS:
TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

MICHELLE THEBERT
FACILITIES PROTECTION
UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

IN THE MATTER OF:

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test, RESPONDENTS

CASE NUMBER: PSC 23-25062 and 23-25063

CONSENT AGREEMENT

Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test, ("Respondent(s)"), hereby agrees to presentation of the following proposed disposition of the above named matter to the Georgia Public Service Commission ("Commission"):

FINDINGS AND CONCLUSIONS:

1.

The Commission has the power and authority to enforce the provisions of the Georgia Underground Facility Protection Act, ("Act"), O.C.G.A. T. 25, Ch. 9.

2.

The Commission received a Notice of Probable Violation ("NOPV"), alleging that on 1/17/2023, Respondent(s) violated O.C.G.A. T. 25, Ch. 9. The Staff has recommended to the Commission that the NOPV be resolved pursuant to the terms set forth in this Consent Agreement.

AGREEMENT

By signing below, Respondent(s) hereby agree that this matter should be resolved as follows:

1.

This Consent Agreement, if approved by the Commission, shall constitute a final resolution of this proceeding. Respondent(s) agree that each will abide by the terms of this Consent Agreement.

2.

Respondent(s) agree that each will comply with all applicable provisions of the Act.

3.

Respondent(s) agree to pay to the Commission a penalty of $15,000.00 within thirty (30) days after the date of an Order issued by the Commission approving of this Consent Agreement. Payment must be forwarded to:

Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, S.W.
Atlanta, Georgia 30334-5701

All payment of penalties must be remitted in certified funds: money order, cashier's check, or official check.

Personal/Company checks will not be accepted.

4.

If Respondent(s) choose training in lieu of paying $12,000.00 of the penalty described above, Respondent(s) agree to promptly complete a training program acceptable to the Commission, ***minimum of five (5) employees required to attend training***. **The respondent will be responsible for completing the training class and submitting the remaining $3,000.00 penalty in certified funds or cashier's check to the Georgia Public Service Commission.**

5.

Respondent(s) understands that all payments will be processed upon receipt. However, this does not release the Respondent of the terms of this agreement.

6.

Respondent(s) understands that failure to comply with the terms of this Consent Agreement could subject each to additional penalties.

7.

This Consent Agreement shall not become effective until and unless approved by the Commission. Respondent(s) enter into this Consent Agreement without admission of fault or liability.

8.

The undersigned authorized representative of the Respondent(s) acknowledges that he/she has read this Consent Agreement and understands its contents. The undersigned representative acknowledges that the undersigned party freely, knowingly and voluntarily enters into this agreement. The undersigned representative hereby consents to the resolution of this proceeding as provided herein.

This _____ day of _____, 20__.

Consented to:
(Sign, date, and mail, email, or fax)

_____
On behalf of: Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test

PSC 23-25062 and 23-25063

EXHIBIT 4

EXHIBIT 2

COMMISSIONERS:
TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

MICHELLE THEBERT
FACILITIES PROTECTION
UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

REQUESTS FOR CASES TO COME BEFORE "GUFPAAC"

THE GEORGIA UTILITY FACILTY PROTECTION ACT ADVISORY COMMITTEE

All requests for cases to come before the Georgia Underground Facility Protection Act Advisory Committee (GUFPAAC) shall be submitted in writing and shall be accompanied by each respondent's written response to each and every allegation listed in the notice of probable violation (NOPV) to which this notice is attached.

To better assist the Advisory Committee's preparation to review your case, the assigned investigator has requested from both the Excavator and Utility any pertinent documentation such as pictures, maps, and/or any other documentation.

Receipt of this documentation is being requested prior to the GUFPAAC meeting in order to insure the investigator and Advisory Committee both have the appropriate time in which to review all details related to your case. The admittance of additional information on the day of this meeting will be at the discretion of the Advisory Committee.

EXHIBIT 4

EXHIBIT 2

COMMISSIONERS:
TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

MICHELLE THEBERT
FACILITIES PROTECTION
UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

GUFPA Training

If your company has been assessed a civil penalty for a violation of the ACT with the offer to attend a Commission approved training class in lieu of paying the penalty, you may choose to have your employees attend damage prevention classes presented in English, Spanish or both.

For classes in English, contact one of the following:

Ms. Glenda Harris, Georgia Utility Contractors Association ("GUCA")
(404) 362-9995 or email: glenda@guca.com

Ms. Becky Kinsey, Georgia 811
(404) 375-6209 or email: bkinsey@georgia811.com

Mr. Ryan Boling, HB NEXT
(770) 619-1669 or (877) 442-4282 (Toll Free)

Mr. Diego Alvarado, daBaires Group
(678) 643-8278, 678-237-8192, or email: dsalvador678@gmail.com

Mr. Jimmy Davis, The Georgia Utility Training Academy ("GUTA")
(678) 635-8980 or email: guta@monroega.gov

For classes in Spanish, contact one of the following:

Mr. Diego Alvarado, daBaires Group
(678) 643-8278, 678-237-8192, or dsalvador678@gmail.com

Mr. Ryan Boling, HB NEXT
(770) 619-1669 or (877) 442-4282 (Toll Free)

Ms. Glenda Harris, Georgia Utility Contractors Association ("GUCA")
(404) 362-9995 or email: glenda@guca.com

If you have questions or need additional information, please call (404) 463-6526.

EXHIBIT 4

EXHIBIT 2

COMMISSIONERS:
TRICIA PRIDEMORE, Chairman
TIM G. ECHOLS, Vice-Chairman
FITZ JOHNSON
LAUREN "BUBBA" McDONALD
JASON SHAW

MICHELLE THEBERT
FACILITIES PROTECTION
UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 WASHINGTON STREET, SW
ATLANTA, GEORGIA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION

IN THE MATTER OF:	)	
	)	
Willie Mickle Plumbing Service, also d/b/a Willie Mickle Plumbing & Gas Test,	)	DOCKET NO. 45014
RESPONDENTS	)	(PSC Case No. 23-25062 and 23-25063)
	)	

CERTIFICATE OF SERVICE

I hereby certify that this Consent Agreement was served upon all parties and persons listed below by depositing same in the United States mail.

Willie Mickle Plumbing Service, also d/b/a
Willie Mickle Plumbing & Gas Test
Attn: Willie Mickle
5751 Albans Way
Lithonia, GA 30058

Willie Mickle Plumbing
3572 Glenwood
Decatur, GA 30032

Willie Mickle, registered agent c/o
Willie Mickle Plumbing
1065 Media Avenue
Jackson, MS 39206

Respectfully Submitted this 28th day of February, 2023:

Marilyn K. Morris-Simmons

Marilyn K. Morris-Simmons, Admin. Assistant
Facilities Protection Unit
Georgia Public Service Commission
244 Washington Street, Ste. 112
Atlanta, GA 30334

****** ATTENTION PLEASE READ ******

****** ATTENTION PLEASE READ ******

You have just received a Notice of Probable Violation (NOPV) from The Georgia Public Service Commission (PSC) and here is why.

Anytime a buried public utility is damaged by mechanized equipment, by law that utility operator must repair the damaged utility and then report the incident to The PSC within 30 days. That utility operator is also required by law to do an investigation to determine the cause of the damage. If the damage was a result of an error made by the Utility operator or the locate company, the utility company must report themselves to the PSC. If the damage was the result of an error made by the contractor, the utility company must report the contractor, and list the dig law violations that may have occurred during the incident. Once the incident is reported, it gets assigned to a Georgia Dig Law Investigator and a notice is mailed.

Please keep in mind you have NOT been found in violation yet. The NOPV is sent to inform you of what has been reported against you, and is pending on a response from you. You must respond to the notice by letting your investigator know if you agree or disagree with the violations.

If you do NOT respond within 30 days, the PSC will proceed, finding you in violation. This decision will be based solely on the information provided by the utility operator.

Contact information for your investigator will be at the bottom of the first page. Please feel free to call or send an email to your investigator, they will be more than happy to assist and walk you through this process.

EXHIBIT 4

EXHIBIT 2

EXHIBIT 4

EXHIBIT 2

Common questions about this NOPV

I disagree how do I respond

Check option 1 or 2 on the response options page, return that document to your investigator by USPS or email. Send a statement letting us know why you disagree, along with any documentation or photos that proves why you are not in violation. The investigator will continue the investigation based on your disagreement and will contact you once the investigation is complete.

I agree with the violation, what do I do next?

Check option 3 or 4 on the response options page, Option 3 indicates you agree with the violations and you would like to pay the smaller mitigated penalty by sending employees to a training class. Option 4 indicates you agree with the violation but would rather pay the fine in full instead of attending training. After you've chosen an option, please sign and date the two page consent agreement and return those 3 documents to you investigator by email or USPS. If you chose option 3 you will have 30 days to get the training completed, penalty payments can be mailed or delivered to The Georgia Public Service Commission. Cashier checks or money orders are the only acceptable payment methods at this time.

I hired a subcontractor am I responsible for the violation / I was a subcontractor am I at fault?

The Georgia dig laws falls on whom ever was operating the equipment at the time of the incident. If you receive a notice from the PSC and you hired a sub, you should disagree with the violation. Check the appropriate box, provide a statement saying who you hired and provide documentation (Invoice) and contact information on the sub. Staff at The PSC will remove your name from the notice and reissue the notice to the Subcontractor.

How do I attend damage prevention training?

Use the GUFPA Training list that was provided in the packet to call and schedule the class. The class is a one-day class that usually last about 4 hours. After you complete training, you will get certificates of completion. The training facility will send copies of the certificates to the PSC.


I paid the utility company for the damage why do I have to pay the PSC?

Payment made for the repair cost to the utility company is a civil matter. That repair payment has no bearing over the possible penalty amounts for a violation of the state dig law.

EXHIBIT 2

fice Commission
STREET, S.W.
GIA 30334-5701


EXHIBIT 4



FAILURE TO RESPOND MAY RESULT IN PENALTIES UP TO $15,000

ommission
T, S.W.
334-5701

EXHIBIT 4



7011 3500 0001 0595 2885

7011 3500 0001 0595 2885

Georgia Public Service Commission
GUFPA Department
244 Washington Street
Atlanta, GA 30334

Postage $
Certified Fee
Return Receipt Fee (Endorsement Required)
Restricted Delivery Fee (Endorsement Required)
Total Postage

Sent To
Willie Mickle, registered agent c/o
Willie Mickle Plumbing
1065 Media Avenue
Jackson, MS 39206
46-2-91 23-25062 NOH 2/26/25

Street, Apt. No.; or PO Box No.
City, State, ZIP+4

PS Form 3800, August 2006 See Reverse for Instructions

Postmark Here

SENDER: COMPLETE TH
- Complete items 1, 2, and item 4 if Restricted Deli
- Print your name and ad so that we can return t
- Attach this card to the or on the front if space

1. Article Addressed to:

Willie Mickle, registere
Willie Mickle Plumbin
1065 Media Avenue
Jackson, MS 39206
46-2-91 23-25062 NOH 2/26/25

VERY
☐ Agent
☐ Addressee
C. Date of Delivery
n 1? ☐ Yes
w: ☐ No

☐ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

2. Article Number (Transfer from service label) 7011 3500 0001 0595 2885

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

FAILURE TO RESPOND MAY RESULT IN PENALTIES UP TO $15,000