COMMISSIONERS

JASON SHAW , Chairman
FITZ JOHNSON , Vice-Chairman
TIM G. ECHOLS
LAUREN "BUBBA" McDONALD
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

FILED
APR 2 8 2026
EXECUTIVE SECRETARY
GPSC

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

Docket No. 37040

DOCKET# 37040
DOCUMENT# 226406

City of Covington Municipal Gas
P. O. Box 1527
Covington, GA 30015

REF: Public Awareness Inspection # DJ25-028

☐ Certified Mail ☐ Regular Mail ☒ Email

Attention: Mr. Tres Thomas

On July 9, 2025, a representative of the Georgia Public Service Commission Pipeline/Facilities Safety Office conducted an inspection of your gas system. The enclosed inspection report numbered DJ25-028 is provided for your information and file.

In conjunction with this inspection report, Staff has recommended the following enforcement(s):

Enforcement Action:

- ☐ Notice of Probable Violation
- ☐ Notice of Probable Violation with Proposed Civil Penalty
- ☐ Notice of Amendment

Enforcement Letter:

- ☐ Warning Letter
- ☒ Letter of Concern

Enforcement Notification:

- ☐ Observed Issue
- ☐ No Violation

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Actions, Enforcement Letters, and Notifications Issued by the Georgia Public Service Commission. Please refer to Docket No. 37040 in your response.

Please let me know if there are any questions concerning this report at (404) 985-4271 or mthebert@psc.ga.gov. Thank you for your continuing contribution toward increased pipeline safety.

Sincerely,

Michelle Thebert

Michelle L. Thebert
Director, Office of Pipeline Safety/Facilities Protection

COMMISSIONERS

JASON SHAW, Chairman
LAUREN "BUBBA" McDONALD, Vice-Chairman
PETER HUBBARD
DR. ALICIA M. JOHNSON
TRICIA PRIDEMORE

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

REPORT OF NATURAL GAS SAFETY

INSPECTION NO: DJ25-028

OPERATOR: City of Covington Municipal Gas

INVESTIGATOR: Daphne Jones

INSPECTION DATE: July 9, 2025 REPORT MAILED DATE: April 22, 2026

Any questions concerning this report may be directed to the above address or by telephoning (404) 463-6526.

1. PURPOSE OF INSPECTION

To conduct an inspection of the Operator's Public Awareness Program (PAP) for compliance with the minimum federal standards in 49CFR §192.616.

2. CONTINUING VIOLATIONS

3. CLEARED VIOLATIONS

4. NEW VIOLATIONS

5. OTHER RECOMMENDATIONS/COMMENTS

SEE ATTACHED INSPECTION REPORT

CITY OF COVINGTON MUNICIPAL GAS SYSTEM / PUBLIC AWARENESS
INSPECTION NUMBER DJ25-028 / DOCKET NUMBER 37040

On July 9, 2025, Staff reported to the City of Covington's Gas Department to perform an inspection of the Operators Public Awareness Program (PAP) for compliance with the minimum federal standards in 49CFR §192.616. The exit was performed on July 9, 2025.

During the inspection, the Operator was represented by:
Robert Leigh – Operations Manager
Mike Jewell – Gas Director
Amanda Huggins – Regulatory Compliance Specialist
Gary Cook – Gas Foreman
Dalton Chappelear – Gas Operator
Lori Lamberth – MGAG/SRCS (Consultant)

Commission Staff were represented by:
Daphne Jones - Lead Inspector
Eric Atkins – Pipeline Safety Inspector

At the time of this inspection, the City of Covington was under no previously existing probable violation.

During this Inspection, Staff examined the Operator's Public Awareness Plan (PAP) and utilized the PHMSA checklist to record the findings of the inspection. Commission Staff examined the supporting records provided by the Operator that verified compliance with the minimum safety standards.

The City of Covington's existing Public Awareness Committee consists of personnel involved in regulatory compliance, operations, and damage prevention. All these functions support the execution of this PAP. This committee is responsible for general plan oversight. More specifically, the Public Awareness Committee is responsible for:

A. Conducting annual reviews of the City of Covington's Public Awareness Program.
B. Conducting annual reviews of the City of Covington PAP Plan.
C. Conducting effective four-year reviews of the City of Covington PAP Plan.
D. Reviewing information gathered through feedback activities and operational data to determine PAP effectiveness and the need for supplemental communications.
E. Review communications content.
F. Review Languages Other than English as per §192.616(g), this program will be conducted in English as well as other languages commonly understood by a significant number and concentration of the non-English speaking population in our operating area.
G. Review Appendix D-1 which contains the operator's methodology, data sources, and decision logic for language-specific messaging determinations.
H. Review Appendices D-2 and D-3 which contains the percentages of the population aged 5 years and older with limited English proficiency by ZIP code and County, respectively, for the 12 language groups identified in the Census Bureau report.

ITEM OF CONCERN

STAFFS CONCERN: During this inspection, Staff noted that the City of Covington's Public Awareness Program process for compliance with §192.616(g) references Section 203 of the Voting Rights Act.

- Staff have been unable to locate any evidence of where the code requirement, or the guidance in API Recommended Practice (RP) 1162, references the Voting Rights Act of 1965.
- Staff notes that the Voting Rights Act appears to only pertain to individuals who are of voting age, and under that guidance, there is only one county in Georgia—Gwinnett County—that is federally required to provide election materials in another language (Spanish) under Section 203.

- The requirements under §192.616 are specifically aimed at the non-English speaking population in the operator's area, and the guidance from API RP 1162 refers to the affected public—i.e., residents, and places of congregation (businesses, schools, etc.) along the pipeline and the associated right-of-way (ROW).

Staff is concerned that the City of Covington may be relying on a legal framework—specifically, the Voting Rights Act—that is not aligned with the intent or scope of 49 CFR §192.616(g) or the guidance provided in API Recommended Practice (RP) 1162. While Section 203 of the Voting Rights Act requires certain jurisdictions to provide election materials in languages other than English, it applies only to voting-age citizens and is based on specific thresholds related to voter participation. Currently, only one county in Georgia—Gwinnett County—is subject to these requirements1.

Staff is concerned that referencing Section 203 as a basis for language outreach may result in an underestimation of the non-English speaking population that should be considered in the operator's public awareness efforts. The requirements under §192.616(g) and API RP 1162 are broader in scope, focusing on the general public—including residents, businesses, schools, and other places of congregation—along the pipeline right-of-way. These requirements are not limited to voting-age individuals and instead emphasize communication with all segments of the affected public, including those with limited English proficiency23.

The City of Covington is advised that Staff will continue to review this matter and may issue a written data request to further evaluate the operator's process for identifying and reaching non-English speaking populations.

OQ PROTOCOL 9 FIELD EVALUATIONS

During the field evaluation performed from July 8-9, 2025, Staff observed the Operator's personnel perform three protocol 9 field inspections in Covington, GA. The Operator provided the individual qualifications for Gary Cook and Dalton Chappelear to perform covered tasks. Staff examined the individual records before observing the performance in the field. Staff verified that qualification records for these individuals were current.

Gary Cook, Gas Foreman, performed

- / "Measure Structure-To-Electrolyte Potential" / Task #0001 / Tasks performed correctly / Qualification verified as current Qualifications good through 4/18/2027.
- "Inspect Rectifier and Obtain Readings" / Task #0101 Tasks performed correctly / Qualification verified as current Qualifications good through 2/7/2027.

Dalton Chappelear, Gas Operator, performed "Manually Open and Close Valve (Meter Turn-On or Off)" / Task #0301-B. Tasks performed correctly / Qualification verified as current Qualifications good through 1/27/2028.

As a result of this inspection, Staff noted no probable violations of the minimum federal safety standards.

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Letters Issued by the Georgia Public Service Commission.

OPERATOR RESPONSE FORM

Operator Name: City of Covington

Informal Conference Requested: Yes ☐ No ☐

Docket Number: 37040

Responses required within **30 days of electronic mail.** Provide the following information for this report:

Response to Inspection Number:_____

Type of Enforcement Action(s) cited in report:			Informal Conference Requested	
☐ Notice of Probable Violation (NOPV)	☐ New	☐Continuing	☐ Yes	☐ No
☐ Notice of Amendment (NOA)	☐ New	☐Continuing	☐ Yes	☐ No
☐ Warning Letter	☐ New	☐Continuing	☐ Yes	☐ No
☐ Letter of Concern	☐ New	☐Continuing	☐ Yes	☐ No
☐ Observed Issue	☐ New	☐Continuing	☐ Yes	☐ No
☐ Proposed Civil Penalty	$ _____ PCP $ Amount (Total for report)			

Indicate below (A-E) based on the type of Enforcement Actions in this report: (Check all that apply)
Complete a separate copy of Page 2, Operator Response to Enforcement Action, for each cited item.

A. Response for **Notice of Probable Violation** (with and without proposed civil penalty):
   1. ☐ Written statement indicating that corrective measures have achieved Compliance or
   2. ☐ Written plan of action outlining the corrective measures that will be taken to achieve compliance and when compliance is anticipated.

B. Response for **NOA**:
   1. ☐ Contested: Attach written explanation, information, or other material in answer to the allegations in the Notice of Amendment stating your reasons for objecting to the NOA, in whole or in part; or
   2. ☐ Not Contested: Explanation, information, or other material believed to warrant modification of the NOA in whole or in part; or
   3. ☐ Written request for clarification. (Attached)

C. Response for **Continuing** and/or **Existing** violations:
   Current status, updates, expected completion dates, proposed modifications, etc., of the continuing and/or existing violations, even if this information was previously provided. Referencing a previously filed response letter, as status, updates, etc. alone is not sufficient for this response. Failure to provide this information may result in formal interrogatories from the Director through data requests.

D. Response for ☐ **Letter of Concern** / ☐ **Warning Letter**
   I acknowledge receipt of the Letter of Concern/Warning Letter:_____
   SIGNATURE / TITLE

   Additional Comments: (Optional)_____
   _____
   _____

E. Response for **Observed Issue** and **No Violation**: (Optional Response)
   Staff requests that the Operator acknowledge receipt of the Observed Issue/No Violation in writing, or by submitting an email to the FPU Director

Operator Response to Enforcement Action

Enforcement Action for:_____ ☐ New Violation ☐ Continuing Violation

Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

Enforcement Action(s) cited in report:	Conference Requested:	
☐ Notice of Probable Violation (NOPV)	☐ Yes ☐ No	$_____ Proposed Penalty for this violation
☐ Notice of Amendment (NOA)	☐ Yes ☐ No	
☐ Warning Letter	☐ Yes ☐ No	
☐ Letter of Concern	☐ Yes ☐ No	
☐ Observed Issue	☐ Yes ☐ No	
☐ Proposed Civil Penalty	☐ Yes ☐ No	

OPERATORS RESPONSE: _____

Response Provided by: _____ Date:_____

Name / Title

Internal use only:

Lead Inspector: _____ Date Response Reviewed:_____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed:☐ Yes ☐ No Clear Violation:☐ Yes ☐ No

Supervisor Review by:_____ Date Reviewed:_____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments:_____

Filings:
For all written responses or any other official correspondence, the Operator shall file the response at the following address:

Ms. Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

The Operator must file **five (5)** copies of any response and/or official correspondence, as well as a CD with an electronic version of the response in Microsoft Word and/or a PDF, if applicable.

Informal Conference:
Any Operator who chooses to request an informal conference shall request such a conference through emailing the Director (michellet@psc.state.ga.us), calling the Director (404-463-2765), or selecting the "Request Conference" choice.

Civil Penalty Payments:
Certified check for the full amount of the recommended civil penalty or consent agreement amount made payable to the Georgia Public Service Commission. The Operator's name, applicable Docket No., and Inspection Report No. must be included on the certified check. Mail payment to:

Ms. Michelle Thebert, Director, Facilities Protection Unit
Georgia Public Service Commission
244 Washington Street
Atlanta, Georgia 30334

Hearing Requests:
The Operator has the right to request a hearing before the full Commission to contest the alleged probable violations, recommended civil penalties, and all other proposed actions of enforcement. A request for a hearing must be submitted in writing and in accordance with Commission Rule 515-2-1-.04. The Operator must include a statement of the issues that you intend to raise at the hearing. The issues may relate to the allegations, new information, proposed compliance order, proposed civil penalty, or any other recommendation for enforcement action. Please refer to Commission Rule 515-9-3-.11 and O.C.G.A. § 46-2-91 for assessment considerations upon which civil penalties are based. An operator's failure to specify an issue may result in a waiver of the right to raise that issue at hearing. The request must also indicate whether or not the Operator will be represented by counsel at the hearing.

Open Records and Trade Secret Filings:
The Operator is advised that any material provided to the Commission, and all materials prepared by the Commission, including the Notice of Probable Violations and any Orders issued in this case, may be considered public information and subject to disclosure under the Georgia Open Records Act (O.C.G.A. § 50-18-70 et seq.). If you believe that any portion of your response material is security sensitive, privileged, confidential or may cause your company competitive disadvantages and would qualify for protection under the Commission's "Trade Secret Rule" (Commission Rule 515-3-1-.11), you must, along with the complete original document clearly marked "TRADE SECRET" on each page, provide a second copy of the document with the portions you believe qualify for trade secret treatment redacted, and an explanation of why you believe the redacted information qualifies for such trade secret treatment. Should the Commission receive a request for disclosure of any "TRADE SECRET" material, you will be notified, if after review, the materials and your provided justification are deemed not to meet any exemptions provided in the Georgia Open Records Act. You may appeal the Commission's decision to release material at that time. Your appeal will stay the release of those materials until a final decision is made.

BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION
STATE OF GEORGIA

IN THE MATTER OF:	)	
	)	
City of Covington Municipal Gas	)	**DOCKET NO. 37040**
	)	
	)	
	)	

CERTIFICATE OF SERVICE

I, hereby certify that I have this day served a copy of the within and foregoing document on the following persons via email and/or United States Mail as follows:

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

*Tres Thomas, Interim City Manager
City of Covington Municipal Gas
P.O. Box 1527
Covington, GA 30015
tthomas@cityofcovington.org

*Michelle Thebert, Facilities Protection Unit Director
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

Respectfully Submitted this 5th day of May 2026:

Cathy Nesbitt

Cathy Nesbitt, Administrative Assistant
Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, SW
Atlanta, GA 30334