**COMMISSIONERS**

**JASON SHAW , Chairman**
**FITZ JOHNSON , Vice-Chairman**
**TIM G. ECHOLS**
**LAUREN "BUBBA" McDONALD**
**TRICIA PRIDEMORE**

**REECE McALISTER**
**EXECUTIVE DIRECTOR**

**MICHELLE THEBERT**
**FACILITIES PROTECTION UNIT DIRECTOR**

FILED
OCT 2 9 2026
EXECUTIVE SECRETARY
GPSC

# Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

Docket No. 37063

DOCKET# 37063
DOCUMENT# 229305

City of Lawrenceville Gas Dept.
P. O. Box 2200
Lawrenceville, GA 30046

REF: DIMP Inspection # DJ25-006

☐ Certified Mail ☐ Regular Mail ☑ Email

Attention: Mr. Chuck Warbington

On February 12, 2025, a representative of the Georgia Public Service Commission Pipeline/Facilities Safety Office conducted an inspection of your gas system. The enclosed inspection report numbered DJ25-006 is provided for your information and file.

In conjunction with this inspection report, Staff has recommended the following enforcement(s):

Enforcement Action:

- ☐ Notice of Probable Violation
- ☐ Notice of Probable Violation with Proposed Civil Penalty
- ☐ Notice of Amendment

Enforcement Letter:

- ☐ Warning Letter
- ☐ Letter of Concern

Enforcement Notification:

- ☐ Observed Issue
- ☑ No Violation

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Actions, Enforcement Letters, and Notifications Issued by the Georgia Public Service Commission. Please refer to Docket No. 37063 in your response.

Please let me know if there are any questions concerning this report at (404) 985-4271 or mthebert@psc.ga.gov. Thank you for your continuing contribution toward increased pipeline safety.

Sincerely,

Michelle Thebert by MW

Michelle L. Thebert
Director, Office of Pipeline Safety/Facilities Protection

COMMISSIONERS

JASON SHAW, Chairman
LAUREN "BUBBA" McDONALD, Vice-Chairman
PETER HUBBARD
DR. ALICIA M. JOHNSON
STAN WISE

REECE McALISTER
EXECUTIVE DIRECTOR

MICHELLE THEBERT
FACILITIES PROTECTION UNIT DIRECTOR

# Georgia Public Service Commission

(404) 463-6526
(800) 282-5813

244 Washington Street, SW
Atlanta, GA 30334-5701

FAX: (404) 463-6532
psc.ga.gov

## REPORT OF NATURAL GAS SAFETY

INSPECTION NO: DJ25-006

OPERATOR: City of Lawrenceville Gas Dept.

INVESTIGATOR: Daphne Jones

INSPECTION DATE: February 12, 2025 REPORT MAILED DATE: October 22, 2026

Any questions concerning this report may be directed to the above address or by telephoning (404) 463-6526.

### 1. PURPOSE OF INSPECTION

To conduct an inspection of the Operators Distribution Integrity Management Program (DIMP) for compliance with the minimum federal standards in 49CFR Part 192, Subpart P.

2. CONTINUING VIOLATIONS

3. CLEARED VIOLATIONS

4. NEW VIOLATIONS

5. OTHER RECOMMENDATIONS/COMMENTS

On February 12, 2025, Staff reported to the City of Lawrenceville's Gas Department to perform a Distribution Integrity Management Plan (DIMP) Inspection on the Operator's DIMP plans, records, and pipeline facilities for compliance with the minimum federal safety standards and conduct Protocol 9 inspections for compliance with the minimum federal safety standards. An exit meeting was held on February 12, 2025.

During this inspection, the Operator was represented by:
Kyle Hamby – Assistant Director – Internal Operations
Josh Morris – Assistant Director – Gas Department
Dallas Whitman – CP Supervisor
Kayla Dunaway – Administrator Coordinator
Scott Ramskogler - Gas Crew Lead Specialists 1
Greg Cannon - Measurement Technician
Brian Cooper - Field Service Specialist 1
Lori Lamberth – MGAG/SRCS (Consultant)

Commission Staff were represented by:
Daphne Jones – Lead Pipeline Safety Inspector
Daniel Clemmons – Pipeline Safety Inspector

At the time of this inspection, the City of Lawrenceville was under no previously existing probable violation.

NO VIOLATIONS FOUND

During this inspection Staff performed a Distribution Integrity Management Plan (DIMP) inspection of the Operator's written DIMP plan and records, and gas facilities for compliance with 49 CFR Parts 191 and 192, and the GPSC rules for safe operation of a natural gas distribution system.

During this inspection, The Operator had records on file to demonstrate they collected all the required data on any new pipeline and components installed from 2014 through 2023. Staff verified that the Operator has documented the following: Location • Material type and size • Wall thickness or SDR • Manufacturer • Lot or production number. The operator has documented all new construction and maintenance, and existing facilities, as is exposed, by capturing the data on their work order specification sheet.

During the field evaluation, Staff also observed the Operator's personnel perform three Protocol 9 inspections in Lawrenceville, Ga. The Operator provided individual qualifications for Scott Ramskogler, Greg Cannon, and Brain Cooper. Staff examined the individual records before observing the performance in the field. Staff verified that qualification records for these individuals were current. Staff verified that the individual was able to perform these covered tasks according to the procedures and was able to identify generic and task specific abnormal conditions and define the applicable actions.

Scott Ramskogler / Gas Crew Lead Specialists 1 / "Joining of Pipe: Bottom – Out Compression Couplings" Task #F02.1.0701 / Tasks performed correctly / Qualification verified as current Qualifications good through 10/9/2025.

Greg Cannon / Measurement Technician / "Installation of Customers Meters and Regulators: Residential and Small Commercial "Task #H01.1161 Tasks performed correctly / Qualification verified as current Qualifications good through 10/19/2025.

Brian Cooper / Field Service Specialist 1 /" Inside Gas Leak Investigation" Task #M13.1231 Tasks performed correctly / Qualification verified as current Qualifications good through 11/7/2026.

As a result of this inspection Staff noted no probable violations of the minimum federal safety standards.

Please review and respond to this report in accordance with the attached Instructions for Responding to Enforcement Letters Issued by the Georgia Public Service Commission.

# OPERATOR RESPONSE FORM

Operator Name: City of Lawrenceville

Informal Conference Requested: Yes ☐ No ☐

Docket Number: 37063

Responses required within **30 days of electronic mail.** Provide the following information for this report:

Response to Inspection Number:_____

| Type of Enforcement Action(s) cited in report: | | | Informal Conference Requested | |
|---|---|---|---|---|
| ☐ Notice of Probable Violation (NOPV) | ☐ New | ☐Continuing | ☐ Yes | ☐ No |
| ☐ Notice of Amendment (NOA) | ☐ New | ☐Continuing | ☐ Yes | ☐ No |
| ☐ Warning Letter | ☐ New | ☐Continuing | ☐ Yes | ☐ No |
| ☐ Letter of Concern | ☐ New | ☐Continuing | ☐ Yes | ☐ No |
| ☐ Observed Issue | ☐ New | ☐Continuing | ☐ Yes | ☐ No |
| ☐ Proposed Civil Penalty | $ _____ PCP $ Amount (Total for report) | | | |

---

Indicate below (A-E) based on the type of Enforcement Actions in this report: (Check all that apply)
Complete a separate copy of Page 2, Operator Response to Enforcement Action, for each cited item.

A. Response for **Notice of Probable Violation** (with and without proposed civil penalty):
   1. ☐ Written statement indicating that corrective measures have achieved Compliance or
   2. ☐ Written plan of action outlining the corrective measures that will be taken to achieve compliance and when compliance is anticipated.

B. Response for **NOA**:
   1. ☐ Contested: Attach written explanation, information, or other material in answer to the allegations in the Notice of Amendment stating your reasons for objecting to the NOA, in whole or in part; or
   2. ☐ Not Contested: Explanation, information, or other material believed to warrant modification of the NOA in whole or in part; or
   3. ☐ Written request for clarification. (Attached)

C. Response for **Continuing** and/or **Existing** violations:
   Current status, updates, expected completion dates, proposed modifications, etc., of the continuing and/or existing violations, even if this information was previously provided. Referencing a previously filed response letter, as status, updates, etc. alone is not sufficient for this response. Failure to provide this information may result in formal interrogatories from the Director through data requests.

D. Response for ☐ **Letter of Concern** / ☐ **Warning Letter**
   I acknowledge receipt of the Letter of Concern/Warning Letter:_____
   SIGNATURE / TITLE

   Additional Comments: (Optional)_____

E. Response for **Observed Issue** and **No Violation**: (Optional Response)
   Staff requests that the Operator acknowledge receipt of the Observed Issue/No Violation in writing, or by submitting an email to the FPU Director

# Operator Response to Enforcement Action

Enforcement Action for:_____ ☐ New Violation ☐ Continuing Violation
Enter Code / Commission Rule (Complete a separate attachment for each enforcement action)

| Enforcement Action(s) cited in report: | Conference Requested: | |
|---|---|---|
| ☐ Notice of Probable Violation (NOPV) | ☐ Yes ☐ No | $_____ Proposed Penalty for this violation |
| ☐ Notice of Amendment (NOA) | ☐ Yes ☐ No | |
| ☐ Warning Letter | ☐ Yes ☐ No | |
| ☐ Letter of Concern | ☐ Yes ☐ No | |
| ☐ Observed Issue | ☐ Yes ☐ No | |
| ☐ Proposed Civil Penalty | ☐ Yes ☐ No | |

OPERATORS RESPONSE: _____

Response Provided by: _____ Date:_____
Name / Title

Internal use only:

Lead Inspector: _____ Date Response Reviewed:_____

Actions Acceptable: ☐ Yes ☐No Re-inspection Needed:☐ Yes ☐ No Clear Violation:☐ Yes ☐ No

Supervisor Review by:_____ Date Reviewed:_____

Additional Enforcement Recommended: ☐ Yes ☐ No

Director Review

Approved: ☐ Yes ☐No Schedule Special Follow-up Inspection: ☐ Yes ☐ No

Cleared Violation: ☐ Yes ☐ No

Comments:_____

**Filings:**
For all written responses or any other official correspondence, the Operator shall file the response at the following address:

Ms. Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, Georgia 30334

The Operator must file **five (5)** copies of any response and/or official correspondence, as well as a CD with an electronic version of the response in Microsoft Word and/or a PDF, if applicable.

**Informal Conference:**
Any Operator who chooses to request an informal conference shall request such a conference through emailing the Director (michellet@psc.state.ga.us), calling the Director (404-463-2765), or selecting the "Request Conference" choice.

**Civil Penalty Payments:**
Certified check for the full amount of the recommended civil penalty or consent agreement amount made payable to the Georgia Public Service Commission. The Operator's name, applicable Docket No., and Inspection Report No. must be included on the certified check. Mail payment to:

Ms. Michelle Thebert, Director, Facilities Protection Unit
Georgia Public Service Commission
244 Washington Street
Atlanta, Georgia 30334

**Hearing Requests:**
The Operator has the right to request a hearing before the full Commission to contest the alleged probable violations, recommended civil penalties, and all other proposed actions of enforcement. A request for a hearing must be submitted in writing and in accordance with Commission Rule 515-2-1-.04. The Operator must include a statement of the issues that you intend to raise at the hearing. The issues may relate to the allegations, new information, proposed compliance order, proposed civil penalty, or any other recommendation for enforcement action. Please refer to Commission Rule 515-9-3-.11 and O.C.G.A. § 46-2-91 for assessment considerations upon which civil penalties are based. An operator's failure to specify an issue may result in a waiver of the right to raise that issue at hearing. The request must also indicate whether or not the Operator will be represented by counsel at the hearing.

**Open Records and Trade Secret Filings:**
The Operator is advised that any material provided to the Commission, and all materials prepared by the Commission, including the Notice of Probable Violations and any Orders issued in this case, may be considered public information and subject to disclosure under the Georgia Open Records Act (O.C.G.A. § 50-18-70 et seq.). If you believe that any portion of your response material is security sensitive, privileged, confidential or may cause your company competitive disadvantages and would qualify for protection under the Commission's "Trade Secret Rule" (Commission Rule 515-3-1-.11), you must, along with the complete original document clearly marked "TRADE SECRET" on each page, provide a second copy of the document with the portions you believe qualify for trade secret treatment redacted, and an explanation of why you believe the redacted information qualifies for such trade secret treatment. Should the Commission receive a request for disclosure of any "TRADE SECRET" material, you will be notified, if after review, the materials and your provided justification are deemed not to meet any exemptions provided in the Georgia Open Records Act. You may appeal the Commission's decision to release material at that time. Your appeal will stay the release of those materials until a final decision is made.

**BEFORE THE GEORGIA PUBLIC SERVICE COMMISSION**
**STATE OF GEORGIA**

| | | |
|---|---|---|
| **IN THE MATTER OF:** | ) | |
| | ) | |
| **City of Lawrenceville Gas Dept.** | ) | **DOCKET NO. 37063** |
| | ) | |
| | ) | |
| | ) | |

**CERTIFICATE OF SERVICE**

I, hereby certify that I have this day served a copy of the within and foregoing document on the following persons via email and/or United States Mail as follows:

*Sallie Tanner, Executive Secretary
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

* Chuck Warbington, City Manager
City of Lawrenceville Gas Dept.
PO Box 2200
Lawrenceville, GA 30046
chuck.warbington@lawrencevillega.org

*Michelle Thebert, Facilities Protection Unit Director
Georgia Public Service Commission
244 Washington Street, SW
Atlanta, GA 30334

Respectfully Submitted this _____ day of November 2026:

*Morgan Mitchell*

Morgan Mitchell, Administrative Assistant
Georgia Public Service Commission
Facilities Protection Unit
244 Washington Street, SW
Atlanta, GA 30334